



Score Report

Client name : Sample Client
Client ID : SC
Gender : Male
Age : 43
Test date : 8/1/2016

This report is intended for use by qualified professionals only and is not to be shared with the respondent or any other unqualified persons.

The following report provides only scores for the PSS and does not presume the validity of these scores for the respondent.

History of Trauma

The respondent reported being badly hurt, being afraid he might be badly hurt or might die, or seeing someone else badly hurt or killed.

This upsetting thing happened a month ago or longer.

Interpretation of PSS Scores

Scale	Raw score	Missing responses
PTSD Risk	23	0
Suicide Risk	9	0

Note. "---" indicates a scale that is invalid due to an excessive number of missing items. "*" indicates that missing responses were scored as "1".

The respondent is likely to have PTSD. A clinical interview with a full-length PTSD assessment (e.g., DAPS) should be conducted by a qualified mental health provider to confirm this likelihood.

The respondent is reporting serious suicidality within the last month, and his current suicide risk may be high. **Endorsement of any suicide items should trigger an immediate assessment for suicide lethality and further evaluation by a qualified mental health provider.**

PSS Item Responses

Question	Response
1	Yes
2	A month ago or longer
3	2
4	2
5	3
6	4
7	3
8	1
9	4
10	4
11	2
12	4
13	2
14	1

Note. 1 = Never, 2 = Less than once a week, 3 = About once a week, 4 = Two or three times a week, 5 = Four or more times a week, --- = Response missing.

***** End of Report *****