



Reynolds Child Depression Scale™ – 2nd Edition: Short Form

William M. Reynolds, PhD

Generated by **PAR**iConnect

Score Report

Client name: Sample Client

Client ID: RCDS2

Gender: Female

Grade: 2

Age: 7

School: JFK Elem

Test date: 08/12/2013

Normative group: Total Standardization sample

This report is intended for use by qualified professionals only and is not to be shared with the examinee or any other unqualified persons.

Validity of RCDS-2:SF Results

It is important to carefully review the completed RCDS-2:SF test protocol. In particular, pay attention to items left blank, as these may indicate that the examinee has deliberately attempted to avoid disclosing specific behaviors or symptoms. Note unusual response patterns and question the validity of the protocol.

As a final check for invalid responding, examine the responses to Items 1 and 3. Because the item content in this pair is opposite but the items are logically very similar, the same score at extreme ends of the scale for items within the pair suggests an invalid protocol.

The examinee's responses to this pair of items suggest consistency in responding.

RCDS-2 Score Summary Table

Scale	Raw score	T score	Percentile rank	At or above cutoff	Missing responses
Total	25	62	90	Yes	0

Note. “---” indicates a scale that is invalid due to an excessive number of missing item responses.
*Prorated score.

RCDS-2:SF Critical Items

The following critical items received a clinically significant endorsement:

11. Select the face that shows how you feel.

RCDS-2:SF Item Responses

Item	Response
1	A lot of the time
2	A lot of the time
3	Sometimes
4	A lot of the time
5	Sometimes
6	A lot of the time
7	Almost never
8	Almost never
9	Almost never
10	A lot of the time
11	Sad

Note. “---” indicates a missing response.

***** End of Report *****