



## Research Edition Score Report

by Robert K. Heaton, PhD, and PAR Staff

Generated by



<b>Last Name:</b>	Client	<b>Test Date:</b>	01/19/2021
<b>First Name:</b>	Sample	<b>Rapport:</b>	Good
<b>Client ID:</b>	SC_WCST	<b>Cooperation:</b>	Excellent
<b>Birth Date:</b>	10/31/1998	<b>Effort:</b>	Excellent
<b>Age:</b>	22 years, 2 months	<b>On Medication:</b>	Yes
<b>Gender:</b>	Male	<b>Description of Medication:</b>	Venlafaxine
<b>Ethnicity:</b>	Asian		
<b>Education:</b>	16 years		
<b>Handedness:</b>	Right		
<b>Occupation:</b>	Librarian		

**PAR**® 16204 N. Florida Ave. | Lutz, FL 33549 | 1.800.331.8378 | [parinc.com](http://parinc.com)

Copyright © 1990, 1993, 1998, 1999, 2000, 2002, 2003, 2020 by PAR. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of PAR.

## Caveats

Use of this report requires a thorough understanding of the Wisconsin Card Sorting Test-64 Card Version (WCST-64; Kongs, Thompson, Iverson, & Heaton, 2000), its interpretation, and clinical applications as presented in the WCST-64 Manual (Kongs et al., 2000). This report is intended for use by qualified professionals.

This WCST-64 report was generated from an initial 128-card WCST administration. However, only the first 64 trials are included in this report; the remaining trials are not included. It is important to recognize that the normative data used in this report were developed using the standard 64-card version of the WCST-64 (Kongs et al., 2000). While research to date has demonstrated general equivalence between computerized administration and card administration of the WCST (Artiola i Fortuny & Heaton, 1996; Hellman, Green, Kern, & Christenson, 1992), no definitive equivalence data are available for the computerized administration of this version of the WCST and, as such, normative scores must be interpreted cautiously. In order to estimate the potential effects of a computerized administration on test performance, users should be familiar with the original card version.

Users should refer to the WCST-64 Manual (Kongs et al. 2000) for the clinical interpretation of this score report. Clinical interpretation of the WCST-64 requires professional training and expertise in clinical psychology and/or neuropsychology. The utility and validity of the WCST-64 as a clinical measure of cognitive ability are directly related to the professional's background and knowledge and, in particular, familiarity with the information contained in the WCST-64 Manual.

WCST-64 results should be interpreted within the context of a larger clinical assessment battery and relevant clinical and historical information about this client. Additionally, use of WCST-64 scores for clinical or diagnostic decisions should not be attempted without a good understanding of brain-behavior relationships and the medical and psychological factors that affect them.

# Test Results

WCST scores	Raw scores	Age and education demographically corrected			U.S. Census age-matched		
		Standard scores	T scores	%iles	Standard scores	T scores	%iles
Total Correct	55						
Total Errors	9	112	58	79%	108	55	70%
Perseverative Responses	5	107	55	68%	107	55	68%
Perseverative Errors	5	107	55	68%	107	55	68%
Nonperseverative Errors	4	107	55	68%	108	55	70%
Conceptual Level Responses	55	109	56	73%	113	59	81%
Categories Completed	5						
Trials to Complete 1 <sup>st</sup> Category	11						
Failure to Maintain Set	0						
Learning to Learn	-1.89						

## Response Deck 1

Sorting Principle	Correct Seq. Number	Card Number	Column Sorted To	Categories Matched	Perseverative Principle	Perseverative Response	Sorting Principle	Correct Seq. Number	Card Number	Column Sorted To	Categories Matched	Perseverative Principle	Perseverative Response
C	-	1.	1	FN			N	2	33.	3	N	F	
	1	2.	1	C				3	34.	4	N	F	
	2	3.	4	C				4	35.	1	N	F	
	3	4.	1	CN				5	36.	4	N	F	
	4	5.	2	CF				6	37.	2	N	F	
	5	6.	3	CF				7	38.	3	CN	F	
	6	7.	4	CN				8	39.	1	N	F	
	7	8.	1	C				9	40.	4	CN	F	
	8	9.	2	C				10	41.	1	CFN	F	
	9	10.	3	C			C	-	42.	3	N	N	<i>p</i>
	10	11.	4	C				1	43.	3	C	N	
F	1	12.	1	CF	C			2	44.	2	CN	N	
	-	13.	4	C	C	<i>p</i>		3	45.	1	C	N	
	-	14.	3	C	C	<i>p</i>		4	46.	3	CF	N	
	1	15.	1	F	C			5	47.	4	CF	N	
	2	16.	4	CFN	C			6	48.	3	CN	N	
	3	17.	2	FN	C			7	49.	2	CN	N	
	-	18.	3	CN	C			8	50.	3	C	N	
	1	19.	1	CF	C			9	51.	4	C	N	
	2	20.	4	F	C			10	52.	2	CF	N	
	3	21.	2	FN	C		F	-	53.	1	C	C	<i>p</i>
	4	22.	3	FN	C			-	54.	4	N	C	
	5	23.	2	FN	C			1	55.	3	F	C	
	6	24.	1	F	C			2	56.	4	F	C	
	7	25.	2	F	C			3	57.	3	F	C	
	8	26.	1	F	C			4	58.	1	FN	C	
	9	27.	3	FN	C			5	59.	3	FN	C	
	10	28.	4	FN	C			6	60.	4	F	C	
N	1	29.	2	CFN	F			7	61.	2	F	C	
	-	30.	3	F	F	<i>p</i>		8	62.	3	CFN	C	
	-	31.	2	C	F			9	63.	1	CF	C	
	1	32.	1	CN	F			10	64.	3	F	C	

**End of Report**