

References

- Allen, M. J., & Yen, W. M. (1979). *Introduction to measurement theory*. Long Grove, IL: Waveland Press.
- American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (1999). *Standards for educational and psychological testing*. Washington, DC: American Psychological Association.
- Beck, A. T., & Steer, R. A. (1987). *Manual for the Beck Depression Inventory*. San Antonio, TX: The Psychological Corporation.
- Berg, H. E., Eiken, O., Miklavcic, L., & Mekjavic, I. B. (2007). Hip, thigh and calf muscle atrophy and bone loss after 5-week bed rest inactivity. *European Journal of Applied Physiology*, *99*, 283-289.
- Bergner, M., Bobbitt, R. A., Carter, W. B., & Gilson, B. S. (1981). The Sickness Impact Profile: Development and final revision of a health status measure. *Medical Care*, *19*, 787-805.
- Bonica, J. J. (1985). Treatment of cancer pain: Current status and future needs. In H. L. Fields, R. Dubner, & F. Cervero (Eds.), *Advances in pain research and therapy: Proceedings of the 4th World Congress on Pain* (Vol. 9, pp. 589-616). New York: Raven Press.
- Boothby, J. L., Thorn, B. E., Stroud, M. W., & Jensen, M. P. (1999). Coping with pain. In R. J. Gatchel & D. C. Turk (Eds.), *Psychosocial factors in pain: Critical perspectives* (pp. 343-359). New York: Guilford Press.
- Bracken, B. A. (1987). Limitations of preschool instruments and standards for minimal levels of technical adequacy. *Journal of Psychoeducational Assessment*, *5*, 313-326.
- Brown, G. K., & Nicassio, P. M. (1987). Development of a questionnaire for the assessment of active and passive coping strategies in chronic pain patients. *Pain*, *31*, 53-64.
- Burckhardt, C. S., Clark, S. R., & Bennett, R. M. (1991). The Fibromyalgia Impact Questionnaire (FIQ): Development and validation. *Journal of Rheumatology*, *18*, 728-733.
- Busch, A. J., Barber, K. A. R., Overend, T. J., Peloso, P. M. J., & Schachter, C. L. (2002, April 22). Exercise for treating fibromyalgia syndrome. *Cochrane Database of Systematic Reviews*, *2*, Article CD003786. Retrieved on June 28, 2007, from <http://www.cochrane.org/reviews/en/ab003786.html>
- Callaghan, P., & Morrissey, J. (1993). Social support and health: A review. *Journal of Advanced Nursing*, *18*, 203-210.
- Centers for Disease Control and Prevention. (n.d.). *Physical activity for everyone: Recommendations*. Retrieved June 4, 2007, from <http://www.cdc.gov/nccdphp/dnpa/physical/recommendations/index.htm>
- Cleeland, C. S., & Ryan, K. M. (1994). Pain assessment: Global use of the Brief Pain Inventory. *Annals of the Academy of Medicine Singapore*, *23*, 129-138.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, *16*, 297-334.
- Crowne, D. P., & Marlowe, D. (1960). A new scale of social desirability independent of psychopathology. *Journal of Consulting Psychology*, *24*, 349-354.
- Daut, R. L., Cleeland, C. S., & Flanery, R. C. (1983). Development of the Wisconsin Brief Pain Questionnaire to assess pain in cancer and other diseases. *Pain*, *17*, 197-210.
- DeGood, D. E., & Tait, R. C. (2001). Assessment of pain beliefs and pain coping. In D. C. Turk & R. Melzack (Eds.), *Handbook of pain assessment* (2nd ed., pp. 320-345). New York: Guilford Press.
- Dozois, D. J. A., Dobson, K. S., Wong, M., Hughes, D., & Long, A. (1996). Predictive utility of the CSQ in low back pain: Individual vs. composite measures. *Pain*, *66*, 171-180.
- Engel, J. M., Schwartz, L., Jensen, M. P., & Johnson, D. R. (2000). Pain in cerebral palsy: The relation of coping strategies to adjustment. *Pain*, *88*, 225-230.
- Ersek, M., Turner, J. A., & Kemp, C. A. (2006). Use of the Chronic Pain Coping Inventory to assess older adults' pain coping strategies. *Journal of Pain*, *7*, 833-842.

- Evers, A. W. M., Kraaimaat, F. W., Geenen, R., Jacobs, J. W. G., & Bijlsma, J. W. J. (2003). Pain coping and social support as predictors of long-term functional disability and pain in early rheumatoid arthritis. *Behaviour Research and Therapy, 41*, 1295-1310.
- Fey, S. G., & Fordyce, W. E. (1983). Behavioral rehabilitation of the chronic pain patient. *Annual Review of Rehabilitation, 3*, 32-63.
- Fordyce, W. E. (1976). *Behavioural methods for chronic pain and illness*. Saint Louis, MO: Mosby.
- Garcia-Campayo, J., Pascual, A., Alda, M., & Gonzalez Ramirez, M. T. (2007). Coping with fibromyalgia: Usefulness of the Chronic Pain Coping Inventory-42. *Pain, 132*(Suppl. 1), S68-S76.
- Geisser, M. E., Robinson, M. E., & Henson, C. D. (1994). The Coping Strategies Questionnaire and chronic pain adjustment: A conceptual and empirical reanalysis. *The Clinical Journal of Pain, 10*, 98-106.
- Geisser, M. E., Roth, R. S., & Robinson, M. E. (1997). Assessing depression among persons with chronic pain using the Center for Epidemiological Studies-Depression Scale and the Beck Depression Inventory: A comparative analysis. *The Clinical Journal of Pain, 13*, 163-170.
- Gil, K. M., Ross, S. L., & Keefe, F. J. (1988). Behavioral treatment of chronic pain: Four pain management protocols. In R. D. France & J. R. R. Krishnan (Eds.), *Chronic pain* (pp. 376-413). Washington, DC: American Psychiatric Association.
- Gillis, A., & MacDonald, B. (2005). Deconditioning in the hospitalized elderly. *Canadian Nurse, 101*, 16-20.
- Guilford, J. P., & Fruchter, B. (1978). *Fundamental statistics in psychology and education* (6th ed., rev.). New York: McGraw-Hill.
- Hadjistavropoulos, H. D., MacLeod, F. K., & Asmundson, G. J. G. (1999). Validation of the Chronic Pain Coping Inventory. *Pain, 80*, 471-481.
- Hanson, R. W., & Gerber, K. E. (1990). *Coping with chronic pain: A guide to patient self-management*. New York: Guilford Press.
- Hill, I. D., Hill, R., & Holder, R. L. (1976). Algorithm AS 99: Fitting Johnson curves by moments. *Applied Statistics, 25*, 180-189.
- Iverson, G. L. (2001). Interpreting change on the WAIS-III/WMS-III in clinical samples. *Archives of Clinical Neuropsychology, 16*, 183-191.
- Jackson, D. N. (1970). A sequential system for personality scale development. In C. D. Spielberger (Ed.), *Current topics in clinical and community psychology* (Vol. 2, pp. 61-96). New York: Academic Press.
- Jacobson, N. S., & Truax, P. (1991). Clinical significance: A statistical approach to defining meaningful change in psychotherapy research. *Journal of Consulting and Clinical Psychology, 59*, 12-19.
- Jensen, M. P., Hanley, M. A., Engel, J. M., Romano, J. M., Barber, J., Cardenas, D. D., et al. (2005). Hypnotic analgesia for chronic pain in persons with disabilities: A case series 1 abstract. *International Journal of Clinical and Experimental Hypnosis, 53*, 198-228.
- Jensen, M. P., & Karoly, P. (1991). Control beliefs, coping efforts, and adjustment to chronic pain. *Journal of Consulting and Clinical Psychology, 59*, 431-438.
- Jensen, M. P., & Karoly, P. (2007). *Survey of Pain Attitudes (SOPA) professional manual*. Lutz, FL: Psychological Assessment Resources.
- Jensen, M. P., Karoly, P., & Harris, P. (1991). Assessing the affective component of chronic pain: Development of the Pain Discomfort Scale. *Journal of Psychosomatic Research, 35*, 149-154.
- Jensen, M. P., McArthur, K. D., Barber, J., Hanley, M. A., Engel, J. M., Romano, J. M., et al. (2006). Satisfaction with, and the beneficial side effects of, hypnotic analgesia. *International Journal of Clinical and Experimental Hypnosis, 54*, 432-447.
- Jensen, M. P., Nielson, W. R., Romano, J. M., Hill, M. L., & Turner, J. A. (2000). Further evaluation of the Pain Stages of Change Questionnaire: Is the transtheoretical model of change useful for patients with chronic pain? *Pain, 86*, 255-264.
- Jensen, M. P., Nielson, W. R., Turner, J. A., Romano, J. M., & Hill, M. L. (2003). Readiness to self-manage pain is associated with coping and with physical functioning among patients with chronic pain. *Pain, 104*, 529-537.
- Jensen, M. P., Turner, J. A., & Romano, J. M. (1994). Correlates of improvement in multidisciplinary treatment of chronic pain. *Journal of Consulting and Clinical Psychology, 62*, 172-179.
- Jensen, M. P., Turner, J. A., & Romano, J. M. (2001a). Changes in beliefs, catastrophizing, and coping are associated with improvement in multidisciplinary pain treatment. *Journal of Consulting and Clinical Psychology, 69*, 655-662.

- Jensen, M. P., Turner, J. A., & Romano, J. M. (2001b). [A process analysis of pain treatment]. Unpublished raw data.
- Jensen, M. P., Turner, J. A., & Romano, J. M. (2007). Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning. *Pain, 131*, 38-47.
- Jensen, M. P., Turner, J. A., Romano, J. M., & Karoly, P. (1991). Coping with chronic pain: A critical review of the literature. *Pain, 47*, 249-283.
- Jensen, M. P., Turner, J. A., Romano, J. M., & Lawler, B. K. (1994). Relationship of pain-specific beliefs to chronic pain adjustment. *Pain, 57*, 301-309.
- Jensen, M. P., Turner, J. A., Romano, J. M., & Strom, S. E. (1995). The Chronic Pain Coping Inventory: Development and preliminary validation. *Pain, 60*, 203-216.
- Keefe, F. J., Salley, A. N., Jr., & Lefebvre, J. C. (1992). Coping with pain: Conceptual concerns and future directions. *Pain, 51*, 131-134.
- Kerns, R. D., Rosenberg, R., Jamison, R. N., Caudill, M. A., & Haythornthwaite, J. (1997). Readiness to adopt a self-management approach to chronic pain: The Pain Stages of Change Questionnaire (PSOCQ). *Pain, 72*, 227-234.
- Kerns, R. D., Turk, D. C., & Rudy, T. E. (1985). The West Haven-Yale Multidimensional Pain Inventory (WHYMPI). *Pain, 23*, 345-356.
- Lazarus, R. S. (1993). Coping theory and research: Past, present, and future. *Psychosomatic Medicine, 55*, 234-247.
- Lazarus, R. S., & Folkman, S. (1984). *Stress, appraisal, and coping*. New York: Springer.
- Lefebvre, J. C., Lester, N., & Keefe, F. J. (1995). Pain in young adults. II: The use and perceived effectiveness of pain-coping strategies. *The Clinical Journal of Pain, 11*, 36-44.
- Lester, N., Lefebvre, J. C., & Keefe, F. J. (1996). Pain in young adults. III: Relationships of three pain-coping measures to pain and activity interference. *The Clinical Journal of Pain, 12*, 291-300.
- Loeser, J. D., Seres, J. L., & Newman, R. I., Jr. (1990). Interdisciplinary, multimodal management of chronic pain. In J. J. Bonica, C. R. Chapman, W. E. Fordyce, & J. D. Loeser (Eds.), *The management of pain in clinical practice* (2nd ed., pp. 2107-2102). Philadelphia: Lea and Febiger.
- McCracken, L. M., & Samuel, V. M. (2007). The role of avoidance, pacing, and other activity patterns in chronic pain. *Pain, 130*, 119-125.
- Merskey, H., & Bogduk, N. (1994). *Classification of chronic pain: Descriptions of chronic pain syndromes and definitions of pain terms* (2nd ed.). Seattle, WA: IASP Press.
- Nielson, W. R., & Jensen, M. P. (2004). Relationship between changes in coping and treatment outcome in patients with fibromyalgia syndrome. *Pain, 109*, 233-241.
- Nielson, W. R., Jensen, M. P., & Hill, M. L. (2001). An activity pacing scale for the Chronic Pain Coping Inventory: Development in a sample of patients with fibromyalgia syndrome. *Pain, 89*, 111-115.
- Osborne, T. L., Jensen, M. P., Ehde, D. M., Hanley, M. A., & Kraft, G. (2007). Psychosocial factors associated with pain intensity, pain-related interference, and psychological functioning in persons with multiple sclerosis and pain. *Pain, 127*, 52-62.
- Patterson, D. R., & Jensen, M. P. (2003). Hypnosis and clinical pain. *Psychological Bulletin, 129*, 495-521.
- Peterson, C., Maier, S. F., & Seligman, M. E. P. (1995). *Learned helplessness: A theory for the age of personal control*. New York: Oxford University Press.
- Pincus, T., & Morley, S. (2001). Cognitive-processing bias in chronic pain: A review and integration. *Psychological Bulletin, 127*, 599-617.
- Prochaska, J. O., & DiClemente, C. C. (1982). Transtheoretical therapy: Toward a more integrative model of change. *Psychotherapy: Theory, Research and Practice, 19*, 276-288.
- Radloff, L. S. (1977). The CES-D Scale: A self-report depression scale for research in the general population. *Applied Psychosocial Measurement, 1*, 358-401.
- Raichle, K. A., Hanley, M. A., Jensen, M. P., & Cardenas, D. (2007). *Cognitions, coping and social environment predict adjustment to spinal cord injury*. Manuscript in preparation.
- Roland, M., & Morris, R. (1983). A study of the natural history of back pain. Part I: Development of a reliable and sensitive measure of disability in low-back pain. *Spine, 8*, 141-144.
- Rosenstiel, A. K., & Keefe, F. J. (1983). The use of coping strategies in low back pain patients: Relationship to patient characteristics and current pain adjustment. *Pain, 17*, 33-44.

- Smith C. A., & Wallston, K. A. (1992). Adaptation in patients with chronic rheumatoid arthritis: Application of a general model. *Health Psychology, 11*, 151-162.
- Stone, A. A., Greenburg, M. A., Kennedy-Moore, E., & Newman, M. G. (1991). Self-report, situations-specific coping questionnaires: What are they measuring? *Journal of Personality and Social Psychology, 61*, 648-658.
- Tan, G., Jensen, M. P., Robinson-Whelen, S., Thornby, J. I., & Monga, T. N. (2001). Coping with chronic pain: A comparison of two measures. *Pain, 90*, 127-133.
- Tan, G., Nguyen, Q., Anderson, K. O., Jensen, M., & Thornby, J. (2005). Further validation of the Chronic Pain Coping Inventory. *Journal of Pain, 6*, 29-40.
- Thompson, R. J., Jr., Gil, K. M., Abrams, M. R., & Phillips, G. (1992). Stress, coping, and psychological adjustment of adults with sickle cell disease. *Journal of Consulting and Clinical Psychology, 60*, 433-440.
- Tollison, C. D., & Satterthwaite, J. R. (1991). Chronic benign pain: Diagnosis and behavioral management. *Journal of Musculoskeletal Medicine, 8*, 55-66.
- Turk, D. C., & Okifuji, A. (1994). Detecting depression in chronic pain patients: Adequacy of self-reports. *Behaviour Research and Therapy, 32*, 9-16.
- Turk, D. C., & Sherman, J. J. (2002). Treatment of patients with fibromyalgia syndrome. In D. C. Turk & R. J. Gatchel (Eds.), *Psychological approaches to pain management: A practitioner's handbook* (2nd ed., pp. 390-416). New York: Guilford Press.
- Turner, J. A. (1991). Coping and chronic pain. In M. R. Bond, J. E. Charlton, & C. J. Woolf (Eds.), *Pain research and clinical management: Proceedings of the 6th World Congress on Pain* (Vol. 4, pp. 219-227). Amsterdam: Elsevier.
- Turner, J. A., Jensen, M. P., & Romano, J. M. (2000). Do beliefs, coping, and catastrophizing independently predict functioning in patients with chronic pain? *Pain, 85*, 115-125.
- Vlaeyen, J. W. S., de Jong, J., Geilen, M., Heuts, P. H. T. G., & van Breukelen, G. (2001). Graded exposure in vivo in the treatment of pain-related fear: A replicated single-case experimental design in four patients with chronic low back pain. *Behaviour Research and Therapy, 39*, 151-166.
- Ware, J. E., Snow, K. K., Kosinski, M., & Gandek, B. (2000). *SF-36 Health Survey: Manual and interpretation guide*. Lincoln, RI: Quality Metric.
- Wolfe, F., Smythe, H. A., Yunus, M. B., Bennett, R. M., Bombardier, C., Goldenberg, D. L., et al. (1990). The American College of Rheumatology 1990 criteria for the classification of fibromyalgia: Report of the multi-center criteria committee. *Arthritis Rheumatology, 33*, 160-172.