

# REFERENCES

---

- American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (1999). *Standards for educational and psychological testing*. Washington, DC: American Psychological Association.
- American Psychological Association. (1987). General guidelines for providers of psychological services. *American Psychologist*, 42, 712-723.
- American Psychological Association. (1992). Ethical principles of psychologists and code of conduct. *American Psychologist*, 47, 1597-1628.
- Appollonio, I. M., Grafman, J., Schwartz, V., Massaquoi, S., & Hallett, M. (1993). Memory in patients with cerebellar degeneration. *Neurology*, 43(8), 1536-1544.
- Bank, A. L., MacNeill, S. E., & Lichtenberg, P. A. (2000). Cross validation of the MacNeill-Lichtenberg Decision Tree: Triaging mental health problems in geriatric rehabilitation patients. *Rehabilitation Psychology*, 45(2), 193-204.
- Bank, A. L., Yochim, B. P., MacNeill, S. E., & Lichtenberg, P. A. (2000). Expanded normative data for the Mattis Dementia Rating Scale for use with urban, elderly medical patients. *Clinical Neuropsychologist*, 14(2), 149-156.
- Bennett, A., Nadler, J., Spigler, M., Rafalson, L., Abraham, S., & Relkin, N. (1997). The Mattis Dementia Rating Scale in nursing home octogenarians and nonagenarians: Effects of age and education. *Journal of Geriatric Psychiatry and Neurology*, 10(3), 114-118.
- Benton A. L., & Hamsher, E. deS. (1989). *Multi-lingual Aphasia Examination*. Iowa City: University of Iowa.
- Bobholz, J. H., & Brandt, J. (1993). Assessment of cognitive impairment: Relationship of the Dementia Rating Scale to the Mini-Mental State Examination. *Journal of Geriatric Psychiatry and Neurology*, 6(4), 210-213.
- Brown, G. G., Rahill, A. A., Gorell, J. M., McDonald, C., Brown, S. J., Sillanpaa, M., & Shults, C. (1999). Validity of the Dementia Rating Scale in assessing cognitive function in Parkinson's disease. *Journal of Geriatric Psychiatry and Neurology*, 12(4), 180-188.
- Butters, M. A., Becker, J. T., Nebes, R. D., Zmuda, M. D., Mulsant, B. H., Pollock, B. G., & Reynolds, C. F., III. (2000). Changes in cognitive functioning following treatment of late-life depression. *American Journal of Psychiatry*, 157(12), 1949-1954.
- Butters, N., Wolfe, J., Martone, M., Granholm, E., & Cermak, L. S. (1985). Memory disorders associated with Huntington's disease: Verbal recall, verbal recognition and procedural memory. *Neuropsychologia*, 23(6), 729-743.
- Cahn, D. A., Sullivan, E. V., Shear, P. K., Pfefferbaum, A., Heit, G., & Silverberg, G. (1998). Differential contributions of cognitive and motor component processes to physical and instrumental activities of daily living in Parkinson's disease. *Archives of Clinical Neuropsychology*, 13(7), 575-583.
- Chase, T. N., Foster, N. L., Fedio, P., Brooks, R., Mansi, L., & Di Chiro, G. (1984). Regional cortical dysfunction in Alzheimer's disease as determined by positron emission tomography. *Annals of Neurology*, 15(Suppl.), S170-S174.
- Coblentz, J. M., Mattis, S., Zingesser, L. H., Kasoff, S. S., Wisniewski, H. M., & Katzman, R. (1973). Presenile dementia: Clinical aspects and evaluation of cerebrospinal fluid dynamics. *Archives of Neurology*, 29(5), 299-308.
- Colantonio, A., Becker, J. T., & Huff, F. J. (1993). Factor structure of the Mattis Dementia Rating Scale among patients with probable Alzheimer's disease. *Clinical Neuropsychologist*, 7(3), 313-318.

- Connor, D. J., Salmon, D. P., Sandy, T. J., Galasko, D., Hansen, L. A., & Thal, L. J. (1998). Cognitive profiles of autopsy-confirmed Lewy body variant vs. pure Alzheimer disease. *Archives of Neurology*, 55(7), 994-1000.
- Das, J. P., Divis, B., Alexander, J., Parrila, R. K., & Naglieri, J. A. (1995). Cognitive decline due to aging among persons with Down syndrome. *Research in Developmental Disabilities*, 16(6), 461-478.
- Das, J. P., Mishra, R. K., Davison, M., & Naglieri, J. A. (1995). Measurement of dementia in individuals with Mental Retardation: Comparison based on PPVT and Dementia Rating Scale. *Clinical Neuropsychologist*, 9(1), 32-37.
- Dubois, B., Slachevsky, A., Litvan, I., & Pillon, B. (2000). The FAB: A Frontal Assessment Battery at bedside. *Neurology*, 55(11), 1621-1626.
- Emery, V. O. B., Gillie, E. X., & Smith, J. A. (1996). 1995 IPA/Bayer research awards in psychogeriatrics. Reclassification of the vascular dementias: Comparisons of infarct and noninfarct vascular dementias. *International Psychogeriatrics*, 8(1), 33-61.
- Evans, J. D., Negron, A. E., Palmer, B. W., Paulsen, J. S., Heaton, R. K., & Jeste, D. V. (1999). Cognitive deficits and psychopathology in institutionalized versus community dwelling elderly schizophrenia patients. *Journal of Geriatric Psychiatry and Neurology*, 12(1), 11-15.
- Eyler Zorrilla, L. T., Heaton, R. K., McAdams, L. A., Zisook, S., Harris, M. J., & Jeste, D. V. (2000). Cross-sectional study of older outpatients with schizophrenia and healthy comparison subjects: No differences in age-related cognitive decline. *American Journal of Psychiatry*, 157(8), 1324-1326.
- Fama, R., Sullivan, E. V., Shear, P. K., Marsh, L., Yesavage, J. A., Tinklenberg, J. R., Lim, K. O., & Pfefferbaum, A. (1997). Selective cortical and hippocampal volume correlates of Mattis Dementia Rating Scale in Alzheimer disease. *Archives of Neurology*, 54(6), 719-728.
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). "Mini-mental state." A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189-198.
- Freidl, W., Schmidt, R., Stronegger, W. J., Fazekas, F., & Reinhart, B. (1996). Sociodemographic predictors and concurrent validity of the Mini-Mental State Examination and the Mattis Dementia Rating Scale. *European Archives of Psychiatry and Clinical Neuroscience*, 256(6), 317-319.
- Freidl, W., Schmidt, R., Stronegger, W. J., & Reinhart, B. (1997). The impact of sociodemographic, environmental, and behavioral factors, and cerebrovascular risk factors as potential predictors of the Mattis Dementia Rating Scale. *Journals of Gerontology, Series A: Biological and Medical Sciences*, 52(2), M111-M115.
- Gardner, R., Jr., Oliver-Munoz, S., Fisher, L., & Empting, L. (1981). Mattis Dementia Rating Scale: Internal reliability study using a diffusely impaired population. *Journal of Clinical Neuropsychology*, 3(3), 271-275.
- Granholm, E., Wolfe, J., & Butters, N. (1985). Affective arousal factors in the recall of thematic stories by amnesic and demented patients. *Developmental Psychology*, 1(4), 317-333.
- Heaton, R. K. (1981). *A manual for the Wisconsin Card Sorting Test*. Odessa, FL: Psychological Assessment Resources.
- Hofer, S. M., Piccinin, A. M., & Hershey, D. (1996). Analysis of structure and discriminative power of the Mattis Dementia Rating Scale. *Journal of Clinical Psychology*, 52(4), 395-409.
- Hohl, U., Grundman, M., Salmon, D. P., Thomas, R. G., & Thal, L. J. (1999). Mini-Mental State Examination and Mattis Dementia Rating Scale performance differs in Hispanic and non-Hispanic Alzheimer's disease patients. *Journal of International Neuropsychological Society*, 5(4), 301-307.
- Ivnik, R. J., Malec, J. F., Smith, G. E., Tangalos, E. G., Petersen, R. C., Kokmen, E., & Kurland, L. T. (1992). Mayo's Older Americans Normative Studies: WAIS-R, WMS-R, and AVLT norms for ages 56 through 97. *The Clinical Neuropsychologist*, 6(Suppl.), 1-104.
- Kertesz, A., & Clydesdale, S. (1994). Neuropsychological deficits in vascular dementia vs. Alzheimer's disease. *Archives of Neurology*, 51(12), 1226-1231.
- Kessler, H. R., Roth, D. L., Kaplan, R. F., & Goode, K. T. (1994). Confirmatory factor analysis of the Mattis Dementia Rating Scale. *Clinical Neuropsychologist*, 8(4), 451-461.

- Kokmen, E., Naessens, J. M., & Offord, K. P. (1987). A short test of mental status: Description and preliminary results. *Mayo Clinic Proceedings*, 62(4), 281-288.
- Kovner, R., Lazar, J. W., Lesser, M., Perecmen, E., Kaplan, M. H., Hainline, B., & Napolitano, B. (1992). Use of the Dementia Rating Scale as a test for neuropsychological dysfunction in HIV-positive IV drug abusers. *Journal of Substance Abuse Treatment*, 9(2), 133-137.
- Lucas, J. A., Ivnik, R. J., Smith, G. E., Bohac, D. L., Tangalos, E. G., Kokmen, E., Graff-Radford, N. R., & Petersen, R. C. (1998). Normative data for the Mattis Dementia Rating Scale. *Journal of Clinical and Experimental Neuropsychology*, 20(4), 536-547.
- Lukatela, K., Cohen, R., Kessler, H., Jenkins, M. A., Moser, D. J., Stone, W. F., Gordon, N., & Kaplan, R. F. (2000). Dementia Rating Scale performance: A comparison of vascular and Alzheimer's dementia. *Journal of Clinical and Experimental Neuropsychology*, 22(4), 445-454.
- Marcopulos, B. A., Gripshover, D. L., Broshek, D. K., McLain, C. A., & Brashear, H. R. (1999). Neuropsychological assessment of psychogeriatric patients with limited education. *Clinical Neuropsychologist*, 13(2), 147-156.
- Marcopulos, B. A., McLain, C. A., & Giuliano, A. J. (1997). Cognitive impairment or inadequate norms? A study of healthy, rural, older adults with limited education. *Clinical Neuropsychologist*, 11(2), 111-131.
- Marson, D. C., Dymek, M. P., Duke, L. W., & Harrell, L. E. (1997). Subscale validity of the Mattis Dementia Rating Scale. *Archives of Clinical Neuropsychology*, 12(3), 269-275.
- Mattis, S. (1988). *Dementia Rating Scale: Professional manual*. Odessa, FL: Psychological Assessment Resources.
- McDaniel, W. F., & McLaughlin, T. (2000). Further support for using the Dementia Rating Scale in the assessment of neuro-cognitive functions of individuals with mental retardation. *Clinical Neuropsychologist*, 14(1), 72-75.
- McFadden, L., Sampson, M., & Mohr, E. (1994). Screening for cognitive dysfunction in neurodegenerative illness. *Journal of Neurology, Neurosurgery, and Psychiatry*, 57(10), 1282.
- Monsch, A. U., Bondi, M. W., Salmon, D. P., Butters, N., Thal, L. J., Hansen, L. A., Weiderholt, W. C., Cahn, D. A., & Klauber, M. R. (1995). Clinical validity of the Mattis Dementia Rating Scale in detecting dementia of the Alzheimer type: A double cross-validation and application to a community-dwelling sample. *Archives of Neurology*, 52(9), 899-904.
- Montgomery, K. M., & Costa, L. (1983a). *Neuropsychological test performance of a normal elderly sample*. Paper presented at the International Neuropsychological Society Meeting, Mexico City, Mexico.
- Montgomery, K. M., & Costa, L. (1983b). *Concurrent validity of the Mattis Dementia Rating Scale*. Paper presented at the International Neuropsychological Society Meeting, Lisbon, Portugal.
- Moss, M. B., Albert, M. S., Butters, N., & Payne, M. (1986). Differential patterns of memory loss among patients with Alzheimer's disease, Huntington's disease, and Alcoholic Korsakoff Syndrome. *Archives of Neurology*, 43, 239-246.
- Nadler, J. D., Richardson, E. D., Malloy, P. F., Marran, M. E., & Brinson, M. E. H. (1993). The ability of the Dementia Rating Scale to predict everyday functioning. *Archives of Clinical Neuropsychology*, 8(5), 449-460.
- Paolo, A. M., Tröster, A. I., Glatt, S. L., Hubble, J. P., & Koller, W. C. (1995a). Influence of demographic variables on the Dementia Rating Scale. *Journal of Geriatric Psychiatry and Neurology*, 8(1), 38-41.
- Paolo, A. M., Tröster, A. I., Glatt, S. L., Hubble, J. P., & Koller, W. C. (1995b). Differentiation of the dementias of Alzheimer's and Parkinson's disease with the Dementia Rating Scale. *Journal of Geriatric Psychiatry and Neurology*, 8(3), 184-188.
- Pauker, J. D. (1988). Constructing overlapping cell tables to maximize the clinical usefulness of normative test data: Rationale and an example from neuropsychology. *Journal of Clinical Psychology*, 44, 930-933.
- Paulsen, J. S., Butters, N., Sadek, J. R., Johnson, S. A., Salmon, D. P., Swerdlow, N. R., & Swenson, M. R. (1995). Distinct cognitive profiles of cortical and subcortical dementia in advanced illness. *Neurology*, 45, 951-956.

- Peavy, G. M. (1998). *Severe Cognitive Impairment Profile*. Odessa, FL: Psychological Assessment Resources.
- Salmon, D. P., Thal, L. J., Butters, N., & Heindel, W. C. (1990). Longitudinal evaluation of dementia of the Alzheimer type: A comparison of 3 standardized mental status examinations. *Neurology*, *40*(8), 1225-1230.
- Shay, K. A., Duke, L. W., Conboy, T., Harrell, L. E., Callaway, R., & Folks, D. G. (1991). The clinical validity of the Mattis Dementia Rating Scale in staging Alzheimer's dementia. *Journal of Geriatric Psychiatry and Neurology*, *4*(1), 18-25.
- Smith, G. E., Ivnik, R. J., Malec, J. F., Kokemen, E., Tangalos, E., & Petersen, R. C. (1994). Psychometric properties of the Mattis Dementia Rating Scale. *Assessment*, *1*(2), 123-131.
- Stoudemire, A., Hill, D., Morris, R., & Dalton, S. T. (1995). Improvement in depression related cognitive dysfunction following ECT. *Journal of Neuropsychiatry*, *7*(1), 31-34.
- Stout, J. C., Jernigan, T. L., Archibald, S. L., & Salmon, D. P. (1996). Association of dementia severity with cortical gray matter and abnormal white matter volumes in dementia of the Alzheimer type. *Archives of Neurology*, *53*(8), 742-749.
- Suarez, S. V., Stankoff, B., Conquy, L., Rosenblum, O., Seilhean, D., Arvanitakis, Z., Lazarini, F., Bricaire, F., Lubetzki, C., Hauw, J. J., & Dubois, B. (2000). Similar subcortical pattern of cognitive impairment in AIDS patients with and without dementia. *European Journal of Neurology*, *7*(2), 151-158.
- Tröster, A. I., Moe, K. E., Vitiello, M. V., & Prinz, P. N. (1994). Predicting long-term outcome in individuals at risk for Alzheimer's disease with the Dementia Rating Scale. *Journal of Neuropsychiatry and Clinical Neurosciences*, *6*(1), 54-57.
- Tröster, A. I., Stalp, L. D., Paolo, A. M., Fields, J. A., & Koller, W. C. (1995). Neuropsychological impairment in Parkinson's disease with and without depression. *Archives of Neurology*, *52*(12), 1164-1169.
- van der Hurk, P. R., & Hodges, J. R. (1995). Episodic and semantic memory in Alzheimer's disease and progressive supranuclear palsy: A comparative study. *Journal of Clinical and Experimental Neuropsychology*, *17*(3), 459-471.
- van Reekum, R., Simard, M., Clarke, D., Binns, M. A., & Conn, D. (1999). Late-life depression as a possible predictor of dementia: Cross-sectional and short-term follow-up results. *American Journal of Geriatric Psychiatry*, *7*(2), 151-159.
- van Reekum, R., Simard, M., Clarke, D., Conn, D., Cohen, T., & Wong, J. (2000). The role of depression severity in the cognitive functioning of elderly subjects with central nervous system disease. *Journal of Psychiatry and Neuroscience*, *25*(3), 262-268.
- Vangel, S. J., Jr., & Lichtenberg, P. A. (1995). Mattis Dementia Rating Scale: Clinical utility and relationship with demographic variables. *Clinical Neuropsychologist*, *9*(3), 209-213.
- Vitaliano, P. P., Breen, A. R., Albert, M. S., Russo, J., & Prinz, P. N. (1984). Memory, attention and functional status in community-residing Alzheimer type dementia patients and optimally healthy aged individuals. *Journal of Gerontology*, *39*(1), 58-64.
- Vitaliano, P. P., Breen, A. R., Russo, J., Albert, M., Vitiello, M. V., & Prinz, P. N. (1984). The clinical utility of the Dementia Rating Scale for assessing Alzheimer patients. *Journal of Chronic Diseases*, *37*(9-10), 743-753.
- Wechsler, D. (1945). A standardized memory scale for clinical use. *Journal of Psychology*, *19*, 87-95.
- Wechsler, D. (1955). *Wechsler Adult Intelligence Scale*. New York: The Psychological Corporation.
- Wechsler, D. (1974). *Wechsler Memory Scale manual*. San Antonio, TX: The Psychological Corporation.
- Wechsler, D. (1981). *Wechsler Adult Intelligence Scale-Revised*. San Antonio, TX: The Psychological Corporation.
- Wechsler, D. (1987). *Wechsler Memory Scale-Revised: Manual*. San Antonio, TX: The Psychological Corporation.
- Woodard, J. L., Auchus, A. P., Godsall, R. E., & Green, R. C. (1998). An analysis of test bias and differential item functioning due to race on the Mattis Dementia Rating Scale. *Journal of Gerontology: Psychological Sciences*, *53*(6), 370-374.
- Woodard, J. L., Salthouse, T. A., Godsall, R. E., & Green, R. C. (1996). Confirmatory factor analysis of the Mattis Dementia Rating Scale in patients with Alzheimer's disease. *Psychological Assessment*, *8*(1), 85-91.