

Trauma Symptom InventoryTM-2

Score Report

by

**John Briere, PhD,
and PAR Staff**

Client Information

Name: Sample Client

Client ID: SC 11-01

Sex: Male

Age: 46

Race: Hispanic

Birth date: 11/24/1963

Test date: 09/20/2010

Total missing responses: 0

Normative group: Males age 18 to 54 years

This report is confidential and is intended for use by qualified professionals only. This report should not be released to the individual being assessed.

Portions of this report examine domains of trauma that may suggest the need for direct and expeditious intervention. The professional using this report should examine the results at her or his earliest convenience and, in conjunction with other sources of information about the client, provide timely follow-up, treatment, or referral.

TSI-2 Critical Items

Item	Score	Item description
23	0	Having sex with someone you hardly knew
24	3*	Attempting suicide
52	3*	Intentionally overdosing on pills or drugs
80	1*	Trying to kill yourself, but then changing your mind
87	3*	Thoughts or fantasies about hurting someone
97	0	Doing something violent because you were so upset
124	0	Intentionally hurting yourself (for example, by scratching, cutting, or burning) as a way to stop upsetting thoughts or feelings
133	0	Trying to end your life

Note: * = A critical item was endorsed which may require immediate intervention.

TSI-2 Validity and Clinical Scales

Scale / subscale	Raw score	T score	%ile
Validity scale			
Response Level (RL)	0	44	28
Atypical Response (ATR)	1	48	63
Clinical scale / subscale			
Anxious Arousal (AA)	9	48	48
Anxiety (AA-A)	6	53	63
Hyperarousal (AA-H)	3	44	31
Depression (D)	26	73	≥99
Anger (ANG)	9	51	59
Intrusive Experiences (IE)	10	55	71
Defensive Avoidance (DA)	13	56	71
Dissociation (DIS)	3	44	36
Somatic Preoccupations (SOM)*	10	52	64
Pain (SOM-P)	3	45	36
General (SOM-G)	7	58	79
Sexual Disturbance (SXD)	1	42	23
Sexual Concerns (SXD-SC)	1	44	39
Dysfunctional Sexual Behavior (SXD-DSB)	0	42	19
Suicidality (SUI)	19	≥100	≥99
Ideation (SUI-I)	11	87	≥99
Behavior (SUI-B)	8	≥100	≥99
Insecure Attachment (IA)	10	49	49
Relational Avoidance (IA-RA)	4	46	40
Rejection Sensitivity (IA-RS)	6	53	64
Impaired Self-Reference (ISR)	8	51	61
Reduced Self-Awareness (ISR-RSA)	7	60	80
Other-Directedness (ISR-OD)	1	41	24
Tension Reduction Behavior (TRB)	4	50	61


* SOM clinical scale = SOMA factor.

TSI-2 Factors

Factor	Raw score	T score	%ile
Self-Disturbance (SELF)	44	59	80
Posttraumatic Stress (TRAUMA)	35	51	58
Externalization (EXT)	33	58	77
Somatization (SOMA)*	10	52	64

* SOMA factor = SOM clinical scale.

TSI-2 Profile



TSI-2 Item Responses

Item	Question	Response
1	(Item detail redacted for sample report purposes)	1
2		3
3		0
4		0
5		1
6		1
7		2
8		1
9		0
10		2
11		1
12		1
13		0
14		0
15		1
16		3
17		1
18		1
19		1
20		0
21		1
22		1
23		0
24		3
25		1
26		0
27		0
28		1
29		2
30		3
31		1
32		2

In the last 6 months, how often have you experienced:			
0	1	2	3
Never			Often

End of Report

In the last 6 months, how often have you experienced:			
0	1	2	3
Never			Often