

# References

- Ackard, D. M., & Peterson, C. B. (2001). Association between puberty and disordered eating, body image, and other psychological variables. *International Journal of Eating Disorders, 29*, 187-194.
- Allen, M. J., & Yen, W. M. (1979). *Introduction to measurement theory*. Prospect Heights, IL: Waveland Press.
- American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (1999). *Standards for educational and psychological testing*. Washington, DC: American Psychological Association.
- American Psychiatric Association. (1987). *Diagnostic and statistical manual of mental disorders* (3rd ed., rev.). Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
- Anastasi, A., & Urbina, S. (1997). *Psychological testing* (7th ed.). Upper Saddle River, NJ: Prentice-Hall.
- Andersen, A. E. (1990). *Males with eating disorders*. Philadelphia: Brunner/Mazel.
- Arbuckle, J. L., & Wothke, W. (1999). *AMOS 4.0 user's guide*. Chicago: Smallwater.
- Arrindell, W. A., & Ettema, J. H. M. (1986). SCL-90: Handleiding bij een multidimensionele psychopathologie-indicator (Manual for the Dutch version of the SCL-90). Lisse, The Netherlands: Swets Tests Services.
- Bastiani, A. M., Rao, R., Weltzin, T., & Kaye, W. H. (1995). Perfectionism in anorexia nervosa. *International Journal of Eating Disorders, 17*, 147-152.
- Bean, P., Shiltz, T., Hallinan, P., & Holbrook, T. (2000). Self-functioning traits affecting meal compliance in eating disorder patients. *Eating and Weight Disorders, 5*, 198-205.
- Beck, A. T. (1976). *Cognitive therapy and emotional disorders*. New York: International Universities Press.
- Becker, A. E., Grinspoon, S. K., Klibanski, A., & Herzog, D. B. (1999). Current concepts: Eating disorders. *New England Journal of Medicine, 340*, 1092-1098.
- Bennett, K., & Stevens, R. (1997). The internal structure of the Eating Disorder Inventory. *Health Care for Women International, 18*, 495-504.
- Bizeul, C., Sadowsky, N., & Rigaud, D. (2001). The prognostic value of initial EDI scores in anorexia nervosa patients: A prospective follow-up study of 5-10 years. *European Psychiatry, 16*, 232-238.
- Blouin, J. H., Carter, J., Blouin, A. G., Tener, L., Schnarre-Hayes, K., Zuro, C., et al. (1994). Prognostic indicators in bulimia nervosa treated with cognitive-behavioral group therapy. *International Journal of Eating Disorders, 15*, 113-123.
- Blouin, J. H., Schnarre, K., Carter, J., Blouin, A., Tener, L., Zuro, C., et al. (1995). Factors affecting dropout rate from cognitive-behavioral group treatment for bulimia nervosa. *International Journal of Eating Disorders, 17*, 323-329.
- Blowers, L. C., Loxton, N. J., Grady-Flessner, M., Occhipinti, S., & Dawe, S. (2003). The relationship between sociocultural pressure to be thin and body dissatisfaction in preadolescent girls. *Eating Behaviors, 4*, 229-244.
- Bruch, H. (1962). Perceptual and conceptual disturbances in anorexia nervosa. *Psychosomatic Medicine, 24*, 187-194.
- Bruch, H. (1973). *Eating disorders: Obesity, anorexia nervosa and the person within*. New York: Basic Books.
- Bruch, H. (1978). *The golden cage: The enigma of anorexia nervosa*. Cambridge, MA: Harvard University Press.
- Bruch, H. (1981). Developmental considerations of anorexia nervosa and obesity. *Canadian Journal of Psychiatry, 26*, 212-217.
- Bulik, C. M., Sullivan, P. F., Carter, F. A., McIntosh, V. V., & Joyce, P. R. (1999). Predictors of rapid and sustained response to cognitive-behavioral therapy for bulimia nervosa. *International Journal of Eating Disorders, 26*, 137-144.
- Bulik, C. M., Sullivan, P. F., Joyce, P. R., Carter, F. A., & McIntosh, V. V. (1998). Predictors of 1-year treatment outcome in bulimia nervosa. *Comprehensive Psychiatry, 39*, 206-214.
- Campbell, D. T., & Fiske, D. W. (1959). Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin, 56*, 81-105.
- Carter, F. A., McIntosh, V. V., Joyce, P. R., Sullivan, P. F., & Bulik, C. M. (2003). Role of exposure with response prevention in cognitive-behavioral therapy for bulimia nervosa: Three-year follow-up results. *International Journal of Eating Disorders, 33*, 127-135.

- Carter, J. C., Blackmore, E., Sutander-Pinnock, K., & Woodside, D. B. (2004). Relapse in anorexia nervosa: A survival analysis. *Psychological Medicine, 34*, 671-679.
- Carter, J. C., Olmsted, M. P., Kaplan, A. S., McCabe, R. E., Mills, J. S., & Aimé, A. (2003). Self-help for bulimia nervosa: A randomized controlled trial. *American Journal of Psychiatry, 160*, 973-978.
- Cash, T. F., & Deagle, E. A., III. (1997). The nature and extent of body-image disturbances in anorexia nervosa and bulimia nervosa: A meta-analysis. *International Journal of Eating Disorders, 22*, 107-125.
- Casper, R. C. (1983). On the emergence of bulimia nervosa as a syndrome: A historical view. *International Journal of Eating Disorders, 2*, 3-16.
- Casper, R. C., & Jabine, L. N. (1996). An eight-year follow-up: Outcome from adolescent compared to adult onset anorexia nervosa. *Journal of Youth and Adolescence, 25*, 499-517.
- Chen, E., Touyz, S. W., Beumont, P. J. V., Fairburn, C. G., Griffiths, R., Butow, P., et al. (2003). Comparison of group and individual cognitive-behavioral therapy for patients with bulimia nervosa. *International Journal of Eating Disorders, 33*, 241-254.
- Cooper, M. (1997). Bias in interpretation of ambiguous scenarios in eating disorders. *Behaviour Research and Therapy, 35*, 619-626.
- Cooper, M., Cohen-Tovee, E., Todd, G., Wells, A., & Tovee, M. (1997). The Eating Disorder Belief Questionnaire: Preliminary development. *Behaviour Research and Therapy, 35*, 381-388.
- Cooper, M., & Turner, H. (2000). Underlying assumptions and core beliefs in anorexia nervosa and dieting. *British Journal of Clinical Psychology, 39*, 215-218.
- Cooper, M. J., & Fairburn, C. G. (1992). Selective processing of eating, weight and shape related words in patients with eating disorders and dieters. *British Journal of Clinical Psychology, 31*, 363-365.
- Cooper, M. J., Todd, G., & Wells, A. (1998). Content, origins, and consequences of dysfunctional beliefs in anorexia nervosa and bulimia nervosa. *Journal of Cognitive Psychotherapy, 12*, 213-230.
- Crisp, A. H. (1965). Clinical and therapeutic aspects of anorexia nervosa: Study of 30 cases. *Journal of Psychosomatic Research, 9*, 67-78.
- Crisp, A. H. (1970). Anorexia nervosa: "Feeding disorder," nervous malnutrition or weight phobia? *World Review of Nutrition and Dietetics, 12*, 452-504.
- Crisp, A. H. (1980). Sleep, activity, nutrition and mood. *British Journal of Psychiatry, 137*, 1-7.
- Crisp, A. H. (1997). Anorexia nervosa as flight from growth: Assessment and treatment based on the model. In D. M. Garner & P. E. Garfinkel (Eds.), *Handbook of treatment for eating disorders* (pp. 248-277). New York: Guilford Press.
- Crocker, L., & Algina, J. (1986). *Introduction to classical and modern test theory*. New York: Holt, Reinhart, and Winston.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika, 16*, 297-334.
- Cureton, E. E., & Tukey, J. W. (1951). Smoothing frequency distributions, equating tests, and preparing norms [Abstract]. *American Psychologist, 6*, 404.
- Dancyger, I. F., & Garfinkel, P. E. (1995). The relationship of partial syndrome eating disorders to anorexia and bulimia nervosa. *Psychological Medicine, 25*, 1019-1025.
- Dare, C., Chania, E., Eisler, I., Hodes, M., & Dodge, E. (2000). The Eating Disorder Inventory as an instrument to explore change in adolescents in family therapy for anorexia nervosa. *European Eating Disorders Review, 8*, 369-383.
- Davis, C., Shuster, B., Blackmore, E., & Fox, J. (2004). Looking good: Family focus on appearance and the risk for eating disorders. *International Journal of Eating Disorders, 35*, 136-144.
- Davis, R., Olmsted, M., Rockert, W., Marques, T., & Dolhanty, J. (1997). Group psychoeducation for bulimia nervosa with and without additional psychotherapy process sessions. *International Journal of Eating Disorders, 22*, 25-34.
- Derogatis, L. R. (1977). *The SCL-90 manual: Scoring, administration, and procedures for the SCL-90*. Towson, MD: Clinical Psychometric Research.
- Devlin, B., Bacanu, S. A., Klump, K. L., Bulik, C. M., Fichter, M. M., Halmi, K. A., et al. (2002). Linkage analysis of anorexia nervosa incorporating behavioral covariates. *Human Molecular Genetics, 11*, 689-696.
- Dobmeyer, A. C., & Stein, D. M. (2003). A prospective analysis of eating disorder risk factors: Drive for thinness, depressed mood, maladaptive cognitions, and ineffectiveness. *Eating Behaviors, 4*, 135-147.
- Dotti, A., & Lazzari, R. (1998). Validation and reliability of the Italian EAT-26. *Eating and Weight Disorders, 3*, 188-194.
- Eberenz, K. P., & Gleaves, D. H. (1994). An examination of the internal consistency and factor structure of the Eating Disorder Inventory-2 in a clinical sample. *International Journal of Eating Disorders, 16*, 371-379.
- Eddy, K. T., Keel, P. K., Dorer, D. J., Delinsky, S. S., Franko, D. L., & Herzog, D. B. (2002). Longitudinal comparison of anorexia nervosa subtypes. *International Journal of Eating Disorders, 31*, 191-201.
- Engstrom, I., & Norring, C. (2002). Estimation of the population "at risk" for eating disorders in a non-clinical Swedish sample: A repeated measure study. *Eating and Weight Disorders, 7*, 45-52.

- Espelage, D. L., Mazzeo, S. E., Aggen, S. H., Quittner, A. C., Sherman, R., & Thompson, R. (2003). Examining the construct validity of the Eating Disorder Inventory. *Psychological Assessment, 15*, 71-80.
- Esplen, M. J., Garfinkel, P. E., Olmsted, M., Gallop, R. M., & Kennedy, S. (1998). A randomized controlled trial of guided imagery in bulimia nervosa. *Psychological Medicine, 28*, 1347-1357.
- Fairburn, C. G., Cooper, P. J., Kirk, J., & O'Connor, M. (1985). The significance of the neurotic symptoms of bulimia nervosa. *Journal of Psychiatric Research, 19*, 135-140.
- Fairburn, C. G., & Cooper, Z. (1993). The Eating Disorder Examination (12th ed.). In C. G. Fairburn & G. T. Wilson (Eds.), *Binge eating: Nature, assessment, and treatment* (pp. 317-360). New York: Guilford Press.
- Fairburn, C. G., Cooper, Z., Doll, H. A., Norman, P., & O'Connor, M. (2000). The natural course of bulimia nervosa and binge eating disorder in young women. *Archives of General Psychiatry, 57*, 659-665.
- Fairburn, C. G., & Harrison, P. J. (2003). Eating disorders. *The Lancet, 361*, 407-416.
- Fairburn, C. G., Jones, R., Peveler, R. C., Hope, R. A., & O'Connor, M. (1993). Psychotherapy and bulimia nervosa: Longer-term effects of interpersonal psychotherapy, behavior therapy, and cognitive behavior therapy. *Archives of General Psychiatry, 50*, 419-428.
- Fairburn, C. G., Kirk, J., O'Connor, M., & Cooper, P. J. (1986). A comparison of two psychological treatments for bulimia nervosa. *Behaviour Research and Therapy, 24*, 629-643.
- Fairburn, C. G., Norman, P. A., Welch, S. L., O'Connor, M. E., Doll, H. A., & Peveler, R. C. (1995). A prospective study of outcome in bulimia nervosa and the long-term effects of three psychological treatments. *Archives of General Psychiatry, 52*, 304-312.
- Fairburn, C. G., Stice, E., Cooper, Z., Doll, H. A., Norman, P. A., & O'Connor, M. E. (2003). Understanding persistence in bulimia nervosa: A 5-year naturalistic study. *Journal of Consulting and Clinical Psychology, 71*, 103-109.
- Fassino, S., Daga, G. A., Amianto, F., Leombruni, P., Garzaro, L., & Rovera, G. G. (2001). Nonresponder anorectic patients after 6 months of multimodal treatment: Predictors of outcome. *European Psychiatry, 16*, 466-473.
- Favaro, A., & Santonastaso, P. (1998). Impulsive and compulsive self-injurious behavior in bulimia nervosa: Prevalence and psychological correlates. *Journal of Nervous and Mental Disease, 186*, 157-165.
- Favaro, A., & Santonastaso, P. (1999). Different types of self-injurious behavior in bulimia nervosa. *Comprehensive Psychiatry, 40*, 57-60.
- Fernández-Aranda, F., Bel, M., Jimenez, S., Vinuales, M., Turon, J., & Vallejo, J. (1998). Outpatient group therapy for anorexia nervosa: A preliminary study. *Eating and Weight Disorders, 3*, 1-6.
- Fichter, M. M., Elton, M., Engel, K., Meyer, A. E., Mall, H., & Poustka, F. (1991). Structured interview for anorexia and bulimia nervosa (SIAB). *International Journal of Eating Disorders, 10*, 571-592.
- Fichter, M. M., & Quadflieg, N. (1996). Course and two-year outcome in anorexic and bulimic adolescents. *Journal of Youth and Adolescence, 25*, 545-562.
- Fichter, M. M., & Quadflieg, N. (1997). Six-year course of bulimia nervosa. *International Journal of Eating Disorders, 22*, 361-384.
- Fichter, M. M., & Quadflieg, N. (1999). Six-year course and outcome of anorexia nervosa. *International Journal of Eating Disorders, 26*, 359-385.
- Fichter, M. M., Quadflieg, N., & Rehm, J. (2003). Predicting the outcome of eating disorders using structural equation modeling. *International Journal of Eating Disorders, 34*, 292-313.
- Field, A. E., Camargo, C. A., Jr., Taylor, C. B., Berkey, C. S., Frasier, L., Gillman, M. W., et al. (1999). Overweight, weight concerns, and bulimic behaviors among girls and boys. *Journal of the American Academy of Child and Adolescent Psychiatry, 38*, 754-760.
- Fitzgibbon, M. L., Sanchez-Johnsen, L. A. P., & Martinovich, Z. (2003). A test of the continuity perspective across bulimic and binge eating pathology. *International Journal of Eating Disorders, 34*, 83-97.
- Foy, D. W. (1992). Introduction and description of the disorder. In D. W. Foy (Ed.), *Treating PTSD: Cognitive-behavioral strategies* (pp. 1-12). New York: Guilford Press.
- Franko, D. L., & Spurrell, E. B. (2000). Detection and management of eating disorders during pregnancy. *Obstetrics and Gynecology, 95*, 942-946.
- Franko, D. L., Striegel-Moore, R. H., Barton, B. A., Schumann, B. C., Garner, D. M., Daniels, S. R., et al. (2004). Measuring eating concerns in Black and White adolescent girls. *International Journal of Eating Disorders, 35*, 179-189.
- Freeman, R. J., Beach, B., Davis, R., & Solyom, L. (1985). The prediction of relapse in bulimia nervosa. *Journal of Psychiatric Research, 19*, 349-353.
- Fries, H. (1974). Secondary amenorrhea, self-induced weight reduction and anorexia nervosa. *Acta Psychiatrica Scandinavica, 248*, 1-70.
- Frost, R. O., Marten, P., Lahart, C., & Rosenblate, R. (1990). The dimensions of perfectionism. *Cognitive Therapy and Research, 14*, 449-468.

- Furman, K., & Thompson, J. K. (2002). Body image, teasing, and mood alterations: An experimental study of exposure to negative verbal commentary. *International Journal of Eating Disorders, 32*, 449-457.
- Garfinkel, P. E., & Garner, D. M. (1982). *Anorexia nervosa: A multidimensional perspective*. New York: Brunner/Mazel.
- Garner, D. M. (1983). *Eating Disorder Inventory professional manual*. Odessa, FL: Psychological Assessment Resources.
- Garner, D. M. (1986). Cognitive therapy for bulimia nervosa. *Annals of Adolescent Psychiatry, 13*, 358-390.
- Garner, D. M. (1991). *Eating Disorder Inventory-2 professional manual*. Odessa, FL: Psychological Assessment Resources.
- Garner, D. M. (1993a). Pathogenesis of anorexia nervosa. *The Lancet, 341*, 1631-1635.
- Garner, D. M. (1993b). Self-report measures for eating disorders. *Current Contents, Social and Behavioral Sciences, 25*, 8.
- Garner, D. M. (1993c). Binge eating in anorexia nervosa. In C. G. Fairburn & G. T. Wilson (Eds.), *Binge eating: Nature, assessment and treatment* (pp. 50-76). New York: Guilford Press.
- Garner, D. M. (1997). Psychoeducational principles in treatment. In D. M. Garner & P. E. Garfinkel (Eds.), *Handbook of treatment for eating disorders* (pp. 147-177). New York: Guilford Press.
- Garner, D. M., & Bemis, K. M. (1982). A cognitive-behavioral approach to anorexia nervosa. *Cognitive Therapy and Research, 6*, 123-150.
- Garner, D. M., & Bemis, K. M. (1985). Cognitive therapy for anorexia nervosa. In D. M. Garner and P. E. Garfinkel (Eds.), *Handbook of psychotherapy for anorexia nervosa and bulimia* (pp. 107-146). New York: Guilford Press.
- Garner, D. M., & Fairburn, C. G. (1988). Relationship between anorexia nervosa and bulimia nervosa: Diagnostic implications. In D. M. Garner & P. E. Garfinkel (Eds.), *Diagnostic issues in anorexia nervosa and bulimia nervosa* (pp. 556-579). New York: Brunner/Mazel.
- Garner, D. M., & Garfinkel, P. E. (1978). Sociocultural factors in anorexia nervosa [Letter]. *The Lancet, 2*, 674.
- Garner, D. M., & Garfinkel, P. E. (1979). The Eating Attitudes Test: An index of the symptoms of anorexia nervosa. *Psychological Medicine, 9*, 273-279.
- Garner, D. M., & Garfinkel, P. E. (1980). Socio-cultural factors in the development of anorexia nervosa. *Psychological Medicine, 10*, 647-656.
- Garner, D. M., Garfinkel, P. E., & O'Shaughnessy, M. (1985). The validity of the distinction between bulimia with and without anorexia nervosa. *American Journal of Psychiatry, 142*, 581-587.
- Garner, D. M., Garfinkel, P. E., Rockert, W., & Olmsted, M. P. (1987). A prospective study of eating disturbances in the ballet. *Psychotherapy and Psychosomatics, 48*, 170-175.
- Garner, D. M., Garfinkel, P. E., Schwartz, D., & Thompson, M. (1980). Cultural expectations of thinness in women. *Psychological Reports, 47*, 483-491.
- Garner, D. M., Garner, M. V., & Rosen, L. W. (1993). Anorexia nervosa "restricters" who purge: Implications for subtyping anorexia nervosa. *International Journal of Eating Disorders, 13*, 171-185.
- Garner, D. M., Garner, M. V., & Van Egeren, L. F. (1992). Body dissatisfaction adjusted for weight: The Body Illusion Index. *International Journal of Eating Disorders, 12*, 263-271.
- Garner, D. M., & Olmsted, M. P. (1984). *The Eating Disorder Inventory manual*. Odessa, FL: Psychological Assessment Resources.
- Garner, D. M., Olmsted, M. P., Bohr, Y., & Garfinkel, P. E. (1982). The Eating Attitudes Test: Psychometric features and clinical correlates. *Psychological Medicine, 12*, 871-878.
- Garner, D. M., Olmsted, M. P., Davis, R., Rockert, W., Goldbloom, D., & Eagle, M. (1990). The association between bulimic symptoms and reported psychopathology. *International Journal of Eating Disorders, 9*, 1-15.
- Garner, D. M., Olmsted, M. P., & Garfinkel, P. E. (1983). Does anorexia nervosa occur on a continuum? Subgroups of weight-preoccupied women and their relationship to anorexia nervosa. *International Journal of Eating Disorders, 2*, 11-20.
- Garner, D. M., Olmsted, M. P., & Polivy, J. (1983). Development and validation of a multidimensional Eating Disorder Inventory for anorexia nervosa and bulimia. *International Journal of Eating Disorders, 2*, 15-34.
- Garner, D. M., Olmsted, M. P., Polivy, J., & Garfinkel, P. E. (1984). Comparison between weight-preoccupied women and anorexia nervosa. *Psychosomatic Medicine, 46*, 255-266.
- Garner, D. M., Rockert, W., Davis, R., Garner, M., Olmsted, M., & Eagle, M. (1993). Comparison of cognitive-behavioral and supportive-expressive therapy for bulimia nervosa. *American Journal of Psychiatry, 150*, 37-45.
- Garner, D. M., Rosen, L. W., & Barry, D. (1998). Eating disorders among athletes: Research and recommendations. *Child and Adolescent Psychiatric Clinics of North America, 7*, 839-857.
- Garner, D. M., Soll, E., Garner, M., Reizes, J., Deutsch, N., Kopans, B., et al. (2004). New clinically relevant EAT-26 factors [Abstract]. *International Journal of Eating Disorders, 35*, 428.

- Garner, D. M., Vitousek, K. M., & Pike, K. M. (1997). Cognitive-behavioral therapy for anorexia nervosa. In D. M. Garner & P. E. Garfinkel (Eds.), *Handbook of treatment for eating disorders* (2nd ed., pp. 94-144). New York: Guilford Press.
- Garner, D. M., & Wooley, S. C. (1991). Confronting the failure of behavioral and dietary treatments of obesity. *Clinical Psychology Review, 11*, 729-780.
- Ghaderi, A. (2003). Structural modeling analysis of prospective risk factors for eating disorder. *Eating Behaviors, 3*, 387-396.
- Gleaves, D. H., Löwe, M. R., Snow, A. C., Green, B. A., & Murphy-Eberenz, K. P. (2000). Continuity and discontinuity models of bulimia nervosa: A taxometric investigation. *Journal of Abnormal Psychology, 109*, 56-68.
- Goodman, W. K., Price, L. H., Rasmussen, S. A., Mazure, C., Delgado, P., Heninger, R. G., et al. (1989a). The Yale-Brown Obsessive Compulsive Scale: II. Validity. *Archives of General Psychiatry, 46*, 1012-1016.
- Goodman, W. K., Price, L. H., Rasmussen, S. A., Mazure, C., Fleishmann, R. L., Hill, C. L., et al. (1989b). The Yale-Brown Obsessive Compulsive Scale: I. Development, use, and reliability. *Archives of General Psychiatry, 46*, 1006-1011.
- Goodsitt, A. (1997). Eating disorders: A self-psychological perspective. In D. M. Garner & P. E. Garfinkel (Eds.), *Handbook of treatment for eating disorders* (2nd ed., pp. 205-228). New York: Guilford Press.
- Gorsuch, R. L. (1983). *Factor analysis* (2nd ed.). Hillsdale, NJ: Erlbaum.
- Gorsuch, R. L. (1996). *Number of exploratory factors: A clarification of the eigenvalues <1 criterion*. San Diego, CA: Fuller Theological Seminary, Department of Psychology.
- Greenfield, D., Quinlan, D. M., Harding, P., Glass, E., & Bliss, A. (1987). Eating behavior in an adolescent population. *International Journal of Eating Disorders, 6*, 99-111.
- Guidano, V. F., & Liotti, G. (1983). *Cognitive processes and emotional disorders: A structural approach to psychotherapy*. New York: Guilford Press.
- Guilford, J. P. (1954). *Psychometric methods* (2nd ed.). New York: McGraw-Hill.
- Halmi, K. A., Sunday, S. R., Strober, M., Kaplan, A., Woodside, D. B., Fichter, M., et al. (2000). Perfectionism in anorexia nervosa: Variation by clinical subtype, obsessionality, and pathological eating behavior. *American Journal of Psychiatry, 157*, 1799-1805.
- Hathaway, S. R., & McKinley, J. C. (1940). *The Minnesota Multiphasic Personality Inventory*. Minneapolis: University of Minnesota Press.
- Heatherton, T. F., Mahamedi, F., Striepe, M., Field, A. E., & Keel, P. (1997). A 10-year longitudinal study of body weight, dieting, and eating disorder symptoms. *Journal of Abnormal Psychology, 106*, 117-125.
- Hedlund, S., Fichter, M. M., Quadflieg, N., & Brandl, C. (2003). Expressed emotion, family environment, and parental bonding in bulimia nervosa: A 6-year investigation. *Eating and Weight Disorders, 8*, 26-35.
- Herzog, D. B., Dorer, D. J., Keel, P. K., Selwyn, S. E., Ekeblad, E. R., Flores, A. T., et al. (1999). Recovery and relapse in anorexia and bulimia nervosa: A 7.5-year follow-up study. *Journal of the American Academy of Child and Adolescent Psychiatry, 38*, 829-837.
- Herzog, D. B., Keller, M. B., Lavori, P. W., Kenny, G. M., & Sacks, N. R. (1992). The prevalence of personality disorders in 210 women with eating disorders. *Journal of Clinical Psychiatry, 53*, 147-152.
- Hewitt, P. L., & Flett, G. L. (1991). Perfectionism in the self and social contexts: Conceptualization, assessment, and association with psychopathology. *Journal of Personality and Social Psychology, 60*, 456-470.
- Hoek, H. W., Bartelds, A. I., Bosveld, J. J., Graaf, Y. V., Limpens, V. E., Maiwald, M., et al. (1995). Impact of urbanization on detection rates of eating disorders. *American Journal of Psychiatry, 152*, 1272-1278.
- Hotta, M., Shibasaki, T., Sato, K., & Demura, H. (1998). The importance of body weight history in the occurrence and recovery of osteoporosis in patients with anorexia nervosa: Evaluation by dual X-ray absorptiometry and bone metabolic markers. *European Journal of Endocrinology, 139*, 276-283.
- Hu, L., & Bentler, P. M. (1995). Evaluating model fit. In R. H. Hoyle (Ed.), *Structural equation modeling: Concepts, issues, and applications* (pp. 76-99). Thousand Oaks, CA: Sage.
- Hu, L., & Bentler, P. M. (1999). Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus alternatives. *Structural Equation Modeling, 6*, 1-55.
- Jacobi, C., Hayward, C., de Zwaan, M., Kraemer, H. C., & Agras, W. S. (2004). Coming to terms with risk factors for eating disorders: Application of risk terminology and suggestions for a general taxonomy. *Psychological Bulletin, 130*, 19-65.
- Jacquin, P., Ouvry, O., & Alvin, P. (1992). Fatal water intoxication in a young patient with anorexia nervosa. *Journal of Adolescent Health, 13*, 631-633.
- Jarman, M., & Walsh, S. (1999). Evaluating recovery from anorexia nervosa and bulimia nervosa: Integrating lessons learned from research and clinical practice. *Clinical Psychology Review, 19*, 773-788.

- Johnson, C. (1985). Initial consultation for patients with bulimia and anorexia nervosa. In D. M. Garner & P. E. Garfinkel (Eds.), *Handbook of psychotherapy for anorexia nervosa and bulimia* (pp. 19-51). New York: Guilford Press.
- Johnson, J. G., Cohen, P., Kasen, S., & Brook, J. S. (2002). Eating disorders during adolescence and the risk for physical and mental disorders during early adulthood. *Archives of General Psychiatry*, *59*, 545-552.
- Joiner, T. E., Jr., & Heatherton, T. F. (1998). First- and second-order factor structure of five subscales of the Eating Disorder Inventory. *International Journal of Eating Disorders*, *23*, 189-198.
- Joiner, T. E., Jr., Heatherton, T. F., & Keel, P. K. (1997). Ten-year stability and predictive validity of five bulimia-related indicators. *American Journal of Psychiatry*, *154*, 1133-1138.
- Joiner T. E., Jr., & Schmidt, N. B. (1995). Dimensions of perfectionism, life stress, and depressed and anxious symptoms: Prospective support for diathesis-stress but not specific vulnerability among male undergraduates. *Journal of Social and Clinical Psychology*, *14*, 165-183.
- Joiner, T. E., Jr., Vohs, K. D., & Heatherton, T. F. (2000). Three studies on the factorial distinctiveness of binge eating and bulimic symptoms among nonclinical men and women. *International Journal of Eating Disorders*, *27*, 198-205.
- Jones, R., Peveler, R. C., Hope, R. A., & Fairburn, C. G. (1993). Changes during treatment for bulimia nervosa: A comparison of three psychological treatments. *Behaviour Research and Therapy*, *31*, 479-485.
- Keel, P. K., & Mitchell, J. E. (1997). Outcome in bulimia nervosa. *American Journal of Psychiatry*, *154*, 313-321.
- Keel, P. K., Mitchell, J. E., Davis, T. L., & Crow, S. J. (2002). Long-term impact of treatment in women diagnosed with bulimia nervosa. *International Journal of Eating Disorders*, *31*, 151-158.
- Keel, P. K., Mitchell, J. E., Miller, K. B., Davis, T. L., & Crow, S. J. (1999). Long-term outcome of bulimia nervosa. *Archives of General Psychiatry*, *56*, 63-69.
- Keller, M. B., Herzog, D. B., Lavori, P. W., Bradburn, I. S., & Mahoney, E. M. (1992). The naturalistic history of bulimia nervosa: Extraordinarily high rates of chronicity, relapse, recurrence, and psychosocial morbidity. *International Journal of Eating Disorders*, *12*, 1-9.
- Keys, A., Brozek, J., Henschel, A., Mickelsen, O., & Taylor, H. L. (1950). *The biology of human starvation*. Minneapolis: University of Minnesota Press.
- Kozyk, J. C., Touyz, S. W., & Beumont, P. J. V. (1998). Is there a relationship between bulimia nervosa and hazardous alcohol use? *International Journal of Eating Disorders*, *24*, 95-99.
- Kuczmarski, R. J., Carroll, M. D., Flegal, K. M., & Troiano, R. P. (1997). Varying body mass index cutoff points to describe overweight prevalence among U.S. adults: NHANES III (1988 to 1994). *Obesity Research*, *5*, 542-548.
- Kuczmarski, R. J., Ogden, C. L., Guo, S. S., Grummer-Strawn, L. M., Flegal, K. M., Mei, Z., et al. (2002). 2000 CDC growth charts for the United States: Methods and development. *Vital and Health Statistics*, *11*. Washington, DC: National Center for Health Statistics.
- Laessle, R. G., Beumont, P. J. V., Butow, P., Lennerts, W., O'Connor, M., Pirke, K. M., et al. (1991). A comparison of nutritional management with stress management in the treatment of bulimia nervosa. *British Journal of Psychiatry*, *159*, 250-261.
- Laessle, R. G., Tuschl, R. J., Waadt, S., & Pirke, K. M. (1989). The specific psychopathology of bulimia nervosa: A comparison with restrained and unrestrained (normal) eaters. *Journal of Consulting and Clinical Psychology*, *57*, 772-775.
- Lee, S. (1993). How abnormal is the desire for slimness? A survey of eating attitudes and behaviour among Chinese undergraduates in Hong Kong. *Psychological Medicine*, *23*, 437-451.
- Lee, S. (1995). Self-starvation in context: Towards a culturally sensitive understanding of anorexia nervosa. *Social Science and Medicine*, *41*, 25-36.
- Lee, S., Chan, Y. Y. L., & Hsu, L. K. G. (2003). The intermediate-term outcome of Chinese patients with anorexia nervosa in Hong Kong. *American Journal of Psychiatry*, *160*, 967-972.
- Lee, S., Ho, T. P., & Hsu, L. K. (1993). Fat phobic and non-fat phobic anorexia nervosa: A comparative study of 70 Chinese patients in Hong Kong. *Psychological Medicine*, *23*, 999-1017.
- Lee, S., Kwok, K., Liau, C., & Leung, T. (2002). Screening Chinese patients with eating disorders using the Eating Attitudes Test in Hong Kong. *International Journal of Eating Disorders*, *32*, 91-97.
- Lee, S., Lee, A. M., & Leung, T. (1998). Cross-cultural validity of the Eating Disorder Inventory: A study of Chinese patients with eating disorders in Hong Kong. *International Journal of Eating Disorders*, *23*, 177-188.
- Lee, S., Lee, A. M., Leung, T., & Yu, H. (1997). Psychometric properties of the Eating Disorders Inventory (EDI-1) in a nonclinical Chinese population in Hong Kong. *International Journal of Eating Disorders*, *21*, 187-194.
- Lee, S., Lee, A. M., Ngai, E., Lee, D. T., & Wing, Y. K. (2001). Rationales for food refusal in Chinese patients with anorexia nervosa. *International Journal of Eating Disorders*, *29*, 224-229.

- Leon, G. R., Fulkerson, J. A., Perry, C. L., & Early-Zald, M. B. (1995). Prospective analysis of personality and behavioral vulnerabilities and gender influences in the later development of disordered eating. *Journal of Abnormal Psychology, 104*, 140-149.
- Leon, G. R., Fulkerson, J. A., Perry, C. L., Keel, P. K., & Klump, K. L. (1999). Three to four year prospective evaluation of personality and behavioral risk factors for later disordered eating in adolescent girls and boys. *Journal of Youth and Adolescence, 28*, 181-196.
- Lindeman, M., Stark, K., & Keski-Vaara, P. (2001). Continuum and linearity hypotheses on the relationship between psychopathology and eating disorder symptomatology. *Eating and Weight Disorders, 6*, 181-187.
- Lock, J., le Grange, D., Agras, W. S., & Dare, C. (2001). *Treatment manual for anorexia nervosa: A family-based approach*. New York: Guilford Press.
- Löwe, B., Zipfel, S., Buchholz, C., Dupont, Y., Reas, D. L., & Herzog, W. (2001). Long-term outcome of anorexia nervosa in a prospective 21-year follow-up study. *Psychological Medicine, 31*, 881-890.
- Löwe, M. R., Gleaves, D. H., DiSimone-Weiss, R. T., Furgueson, C., Gayda, C. A., Kolsky, P. A., et al. (1998). Restraint, dieting, and the continuum model of bulimia nervosa. *Journal of Abnormal Psychology, 105*, 508-517.
- Löwe, M. R., Gleaves, D. H., & Murphy-Eberenz, K. P. (1998). On the relation of dieting and bingeing in bulimia nervosa. *Journal of Abnormal Psychology, 107*, 263-271.
- Loxton, N. J., & Dawe, S. (2001). Alcohol abuse and dysfunctional eating in adolescent girls: The influence of individual differences in sensitivity to reward and punishment. *International Journal of Eating Disorders, 29*, 455-462.
- Lucas, A. R., Beard, C. M., O'Fallon, W. M., & Kurland, L. T. (1991). 50-year trends in the incidence of anorexia nervosa in Rochester, Minn.: A population-based study. *American Journal of Psychiatry, 148*, 917-922.
- Machado, P. P. P., Goncalves, S., Martins, C., & Soares, I. C. (2001). The Portuguese version of the Eating Disorders Inventory: Evaluation of its psychometric properties. *European Eating Disorders Review, 9*, 43-52.
- McKisack, C., & Waller, G. (1996). Why is attendance variable at groups for women with bulimia nervosa? The role of eating psychopathology and other characteristics. *International Journal of Eating Disorders, 20*, 205-209.
- Millon, T. (1987). *Millon Clinical Multiaxial Inventory-II manual*. Minneapolis, MN: National Computer Systems.
- Mintz, L. B., & O'Halloran, M. S. (2000). The Eating Attitudes Test: Validation with DSM-IV eating disorder criteria. *Journal of Personality Assessment, 74*, 489-503.
- Minuchin, S., Rosman, B. L., & Baker, L. (1978). *Psychosomatic families: Anorexia nervosa in context*. Cambridge, MA: Harvard University Press.
- Mitchell, J. E., Hatsukami, D., Eckert, E., & Pyle, R. (1985). Eating Disorders Questionnaire. *Psychopharmacology Bulletin, 21*, 1025-1043.
- Mitchell, J. E., Pyle, R. L., Pomeroy, C., Zollman, M., Crosby, R., Seim, H., et al. (1993). Cognitive-behavioral group psychotherapy of bulimia nervosa: Importance of logistical variables. *International Journal of Eating Disorders, 14*, 277-287.
- Mizes, J. S. (1992). Validity of the Mizes Anorectic Cognitions scale: A comparison between anorectics, bulimics, and psychiatric controls. *Addictive Behaviors, 17*, 283-289.
- Mortenson, G. M., Hoerr, S. L., & Garner, D. M. (1993). Predictors of body satisfaction in college women. *Journal of the American Dietetic Association, 93*, 1037-1039.
- Moulds, M. L., Touyz, S. W., Schotte, D., Beumont, P. J., Griffiths, R., Russell, J., et al. (2000). Perceived expressed emotion in the siblings and parents of hospitalized patients with anorexia nervosa. *International Journal of Eating Disorders, 27*, 288-296.
- National Heart, Lung, and Blood Institute. (1998). *Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults*. Bethesda, MD: National Institutes of Health.
- Nielsen, S. (2003). Standardized mortality ratio in bulimia nervosa. *Archives of General Psychiatry, 60*, 851.
- Norman, D. K., & Herzog, D. B. (1984). Persistent social maladjustment in bulimia: A one-year follow-up. *American Journal of Psychiatry, 141*, 444-446.
- Norring, C. (1990). The Eating Disorder Inventory: Its relation to diagnostic dimensions and follow-up status. *International Journal of Eating Disorders, 9*, 685-694.
- Norring, C., & Sohlberg, S. (1988). Eating Disorder Inventory in Sweden: Description, cross-cultural comparison, and clinical utility. *Acta Psychiatrica Scandinavica, 78*, 567-575.
- Nunnally, J. C., & Bernstein, I. H. (1994). *Psychometric theory* (3rd ed.). New York: McGraw-Hill.
- Nylander, I. (1971). The feeling of being fat and dieting in a school population: An epidemiologic interview investigation. *Acta Socio-Medica Scandinavica, 3*, 17-26.
- O'Connor, P. J., Lewis, R. D., & Kirchner, E. M. (1995). Eating disorder symptoms in female college gymnasts. *Medicine and Science in Sports and Exercise, 27*, 550-555.
- Olmsted, M. P., & Garner, D. M. (1986). The significance of self-induced vomiting as a weight control method among nonclinical samples. *International Journal of Eating Disorders, 5*, 683-700.

- Olmsted, M. P., Kaplan, A. S., & Rockert, W. (1994). Rate and prediction of relapse in bulimia nervosa. *American Journal of Psychiatry, 151*, 738-743.
- Olmsted, M. P., Kaplan, A. S., & Rockert, W. (2003). Relative efficacy of a 4-day versus a 5-day day hospital program. *International Journal of Eating Disorders, 34*, 441-449.
- Ordman, A. M., & Kirschenbaum, D. S. (1985). Cognitive-behavioral therapy for bulimia: An initial outcome study. *Journal of Consulting and Clinical Psychology, 53*, 305-313.
- Palmer, R., Christie, M., Cordle, C., Davies, D., & Kenrick, J. (1987). The Clinical Eating Disorder Rating Instrument (CEDRI): A preliminary description. *International Journal of Eating Disorders, 6*, 9-16.
- Patton, G. C., Coffey, C., & Sawyer, S. M. (2003). The outcome of adolescent eating disorders: Findings from the Victorian Adolescent Health Cohort Study. *European Child and Adolescent Psychiatry, 12*(Suppl. 1), S25-S29.
- Patton, G. C., Johnson-Sabine, E., Wood, K., Mann, A. H., & Wakeling, A. (1990). Abnormal eating attitudes in London schoolgirls: A prospective epidemiological study-outcome at twelve month follow-up. *Psychological Medicine, 20*, 383-394.
- Patton, G. C., Selzer, R., Coffey, C., Carlin, J. B., & Wolfe, R. (1999). Onset of adolescent eating disorders: Population based cohort study over 3 years. *British Medical Journal, 318*, 765-768.
- Paul, T., Schroeter, K., Dahme, B., & Nutzinger, D. O. (2002). Self-injurious behavior in women with eating disorders. *American Journal of Psychiatry, 159*, 408-411.
- Phelps, L., & Wilczenski, F. (1993). Eating Disorders Inventory-2: Cognitive-behavioral dimensions with non-clinical adolescents. *Journal of Clinical Psychology, 49*, 508-515.
- Pike, K. M. (1998). Long-term course of anorexia nervosa: Response, relapse, remission, and recovery. *Clinical Psychology Review, 18*, 447-475.
- Pomeroy, C., & Mitchell, J. E. (2002). Medical complications of anorexia nervosa and bulimia nervosa. In C. G. Fairburn & K. D. Brownell (Eds.), *Eating disorders and obesity* (2nd ed., pp. 278-285). New York: Guilford Press.
- Prather, R. C., & Williamson, D. A. (1998). Psychopathology associated with bulimia, binge eating, and obesity. *International Journal of Eating Disorders, 7*, 177-184.
- Quadflieg, N., & Fichter, M. M. (2003). The course and outcome of bulimia nervosa. *European Child and Adolescent Psychiatry, 12*, 99-109.
- Raciti, M. C., & Norcross, J. C. (1987). The EAT and EDI: Screening, interrelationships, and psychometrics. *International Journal of Eating Disorders, 6*, 579-586.
- Radloff, L. S. (1977). The CES-D scale: A self-report depression scale for research in the general population. *Applied Psychological Measurement, 1*, 385-401.
- Radloff, L. S. (1991). The use of the Center for Epidemiologic Studies Depression Scale in adolescents and young adults. *Journal of Youth and Adolescence, 20*, 149-166.
- Ramacciotti, C. E., Dell'Osso, L., Paoli, R. A., Ciapparelli, A., Coli, E., Kaplan, A. S., et al. (2002). Characteristics of eating disorder patients without a drive for thinness. *International Journal of Eating Disorders, 32*, 206-212.
- Ricciardelli, L. A., & McCabe, M. P. (2004). A biosychosocial model of disordered eating and the pursuit of muscularity in adolescent boys. *Psychological Bulletin, 130*, 179-205.
- Rizvi, S. L., Stice, E., & Agras, W. S. (1999). Natural history of disordered eating attitudes and behaviors over a 6-year period. *International Journal of Eating Disorders, 26*, 406-413.
- Rø, O., Martinsen, E. W., Hoffart, A., & Rosenvinge, J. H. (2003). Short-term follow-up of severe bulimia nervosa after inpatient treatment. *European Eating Disorders Review, 11*, 405-417.
- Rodin, G. M. (2002). Eating disorders in diabetes mellitus. In C. G. Fairburn & K. D. Brownell (Eds.), *Eating disorders and obesity* (2nd ed., pp. 286-289). New York: Guilford Press.
- Rome, E. S., & Ammerman, S. (2003). Medical complications of eating disorders: An update. *Journal of Adolescent Health, 33*, 418-426.
- Rosen, J. C., Silberg, N. T., & Gross, J. (1988). Eating Attitudes Test and Eating Disorders Inventory: Norms for adolescent girls and boys. *Journal of Consulting and Clinical Psychology, 56*, 305-308.
- Rosen, L. W., McKeag, D. B., Hough, D. O., & Curley, V. (1986). Pathogenic weight-control behavior in female athletes. *The Physician and Sportsmedicine, 15*, 79-86.
- Rosenberg, M. (1965). *Society and the adolescent self-image*. Princeton, NJ: Princeton University Press.
- Ruderman, A. J., & Besbeas, M. (1992). Psychological characteristics of dieters and bulimics. *Journal of Abnormal Psychology, 101*, 383-390.
- Russell, G. (1979). Bulimia nervosa: An ominous variant of anorexia nervosa. *Psychological Medicine, 9*, 429-448.
- Russell, G. F. (1985). The changing nature of anorexia nervosa: An introduction to the conference. *Journal of Psychiatric Research, 19*, 101-109.
- Schoemaker, C., van Strien, T., & van der Staak, C. (1994). Validation of the Eating Disorders Inventory in a non-clinical population using transformed and untransformed responses. *International Journal of Eating Disorders, 15*, 387-393.



- Schoemaker, C., Verbraak, M., Breteler, R., & van der Staak, C. (1997). The discriminant validity of the Eating Disorder Inventory-2. *British Journal of Clinical Psychology, 36*, 627-629.
- Selvini-Palazzoli, M. (1978). *Self-starvation—from individual to family therapy in the treatment of anorexia nervosa*. New York: Jason Aronson.
- Shafran, R., Cooper, Z., & Fairburn, C. G. (2002). Clinical perfectionism: A cognitive-behavioural analysis. *Behaviour Research & Therapy, 40*, 773-791.
- Sharp, C. W., & Freeman, C. P. (1993). The medical complications of anorexia nervosa. *British Journal of Psychiatry, 162*, 452-462.
- Sherry, S. B., Hewitt, P. L., Besser, A., McGee, B. J., & Flett, G. L. (2004). Self-oriented and socially prescribed perfectionism in the Eating Disorder Inventory Perfectionism subscale. *International Journal of Eating Disorders, 35*, 69-79.
- Shore, R. A., & Porter, J. E. (1990). Normative and reliability data for 11 to 18 year olds on the Eating Disorder Inventory. *International Journal of Eating Disorders, 9*, 201-207.
- Slade, P. D. (1982). Towards a functional analysis of anorexia nervosa and bulimia nervosa. *British Journal of Clinical Psychology, 21*, 167-179.
- Srinivasagam, N. M., Kaye, W. H., Plotnicov, K. H., Greeno, C., Weltzin, T. E., & Rao, R. (1995). Persistent perfectionism, symmetry, and exactness after long-term recovery from anorexia nervosa. *American Journal of Psychiatry, 152*, 1630-1634.
- Stanley, J. C. (1971). Reliability. In R. L. Thorndike (Ed.), *Educational measurement* (2nd ed., pp. 356-369). Washington, DC: American Council on Education.
- Steel, Z., Jones, J., Adcock, S., Clancy, R., Bridgford-West, L., & Austin, J. (2000). Why the high rate of dropout from individualized cognitive-behavior therapy? *International Journal of Eating Disorders, 28*, 209-214.
- Steiger, H., Israel, M., Gauvin, L., Ng Ying Kin, N. M., & Young, S. N. (2003). Implications of compulsive and impulsive traits for serotonin status in women with bulimia nervosa. *Psychiatry Research, 120*, 219-229.
- Steiger, H., Leung, F., & Thibaudeau, J. (1993). Prognostic value of pretreatment social adaptation in bulimia nervosa. *International Journal of Eating Disorders, 14*, 269-276.
- Steiger, H., & Stotland, S. (1996). Prospective study of outcome in bulimics as a function of Axis-II comorbidity: Long-term responses on eating and psychiatric symptoms. *International Journal of Eating Disorders, 20*, 149-161.
- Steiger, H., Stotland, S., & Houle, L. (1994). Prognostic implications of stable versus transient "borderline features" in bulimic patients. *Journal of Clinical Psychiatry, 55*, 206-214.
- Stein, D., Kaye, W. H., Matsunaga, H., Orbach, I., Har-Even, D., Frank, G., et al. (2002). Eating-related concerns, mood, personality traits in recovered bulimia nervosa subjects: A replication study. *International Journal of Eating Disorders, 32*, 225-229.
- Steiner, H., Kwan, W., Shaffer, T. G., Walker, S., Miller, S., & Sagar, A. (2003). Risk and protective factors for juvenile eating disorders. *European Child and Adolescent Psychiatry, 12*(Suppl. 1), S38-S46.
- Steinhausen, H.-C. (2002). The outcome of anorexia nervosa in the 20th century. *American Journal of Psychiatry, 159*, 1284-1293.
- Steinhausen, H.-C., Boyadjieva, S., Griogoroiu-Serbanescu, M., & Neumarker, K. J. (2003). The outcome of adolescent eating disorders: Findings from an international collaborative study. *European Child and Adolescent Psychiatry, 12*(Suppl. 1), S91-98.
- Steinhausen, H.-C., & Seidel, R. (1993). Correspondence between the clinical assessment of eating-disordered patients and findings derived from questionnaires at follow-up. *International Journal of Eating Disorders, 14*, 367-374.
- Stice, E. (2002). Risk and maintenance factors for eating pathology: A meta-analytic review. *Psychological Bulletin, 128*, 825-848.
- Stice, E., Agras, W. S., & Hammer, L. D. (1999). Risk factors for the emergence of childhood eating disturbances: A five-year prospective study. *International Journal of Eating Disorders, 25*, 375-387.
- Stice, E., Killen, J. D., Hayward, C., & Taylor, C. B. (1998a). Age of onset for binge eating and purging during late adolescence: A 4-year survival analysis. *Journal of Abnormal Psychology, 107*, 671-675.
- Stice, E., Killen, J. D., Hayward, C., & Taylor, C. B. (1998b). Support for the continuity hypothesis of bulimic pathology. *Journal of Consulting and Clinical Psychology, 66*, 784-790.
- Stice, E., Presnell, K., & Spangler, D. (2002). Risk factors for binge eating onset in adolescent girls: A 2-year prospective investigation. *Health Psychology, 21*, 131-138.
- Stice, E., Schupak-Neuberg, E., Shaw, H. E., & Stein, R. I. (1994). Relation of media exposure to eating disorder symptomatology: An examination of mediating mechanisms. *Journal of Abnormal Psychology, 103*, 836-840.
- Stice, E., Ziemba, C., Margolis, J., & Flick, P. (1996). The dual pathway model differentiates bulimics, subclinical bulimics, and controls: Testing the continuity hypothesis. *Behavior Therapy, 27*, 531-549.

- Strober, M. (1981). The relation of personality characteristics to body image disturbances in juvenile anorexia nervosa: A multivariate analysis. *Psychosomatic Medicine*, *43*, 323-330.
- Strober, M., Freeman, R., & Morrell, W. (1997). The long-term course of severe anorexia nervosa in adolescents: Survival analysis of recovery, relapse, and outcome predictors over 10-15 years in a prospective study. *International Journal of Eating Disorders*, *22*, 339-360.
- Strober, M., Freeman, R., & Morrell, W. (1999). Atypical anorexia nervosa: Separation from typical cases in course and outcome in a long-term prospective study. *International Journal of Eating Disorders*, *25*, 135-142.
- Stunkard, A. J. (1993). Introduction and overview. In A. J. Stunkard & T. A. Wadden (Eds.), *Obesity theory and therapy* (2nd ed., pp. 1-10). New York: Raven Press.
- Sullivan, P. F. (1995). Mortality in anorexia nervosa. *American Journal of Psychiatry*, *152*, 1073-1074.
- Sullivan, P. F., Bulik, C. M., Fear, J. L., & Pickering, A. (1998). Outcome of anorexia nervosa: A case-control study. *American Journal of Psychiatry*, *155*, 939-946.
- Sullivan, P. F., Bulik, C. M., & Kendler, K. S. (1998). Genetic epidemiology of bingeing and vomiting. *British Journal of Psychiatry*, *173*, 75-79.
- Sundgot-Borgen, J. (1994). Risk and trigger factors for the development of eating disorders in female elite athletes. *Medicine and Science in Sports and Exercise*, *26*, 414-419.
- Sutandar-Pinnock, K., Woodside, D. B., Carter, J. C., Olmsted, M. P., & Kaplan, A. S. (2003). Perfectionism in anorexia nervosa: A 6-24 month follow-up study. *International Journal of Eating Disorders*, *33*, 225-229.
- Theander, S. (1996). Anorexia nervosa with an early onset: selection, gender, outcome, and results of a long-term follow-up study. *Journal of Youth and Adolescence*, *25*, 419-429.
- Theander, S. (2004). Trends in the literature on eating disorders over 36 years (1965-2000): Terminology, interpretation, and treatment. *European Eating Disorders Review*, *12*, 4-17.
- Thelan, M. H., Farmer, J., Wonderlich, S., & Smith, M. (1991). A revision of the Bulimia Test: The BULIT-R. *Psychological Assessment*, *3*, 119-124.
- Toner, B. B., Garfinkel, P. E., & Garner, D. M. (1986). Long-term follow-up of anorexia nervosa. *Psychosomatic Medicine*, *48*, 520-529.
- Toray, T., & Cooley, E. (1997). Weight fluctuation, bulimic symptoms, and self-efficacy for control of eating. *Journal of Psychology*, *131*, 383-392.
- Tylka, T. L. (2004). The relation between body dissatisfaction and eating disorder symptomatology: An analysis of moderating variables. *Journal of Consulting Psychology*, *51*, 178-191.
- Tylka, T. L., & Subich, L. M. (1999). Exploring the construct validity of the eating disorder continuum. *Journal of Counseling Psychology*, *46*, 268-276.
- Tylka, T. L., & Subich, L. M. (2002). A preliminary investigation of the eating disorder continuum with men. *Journal of Counseling Psychology*, *49*, 273-279.
- Vandereycken, W., Kog, E., & Vanderlinden, J. (1989). *The family approach to eating disorders: Assessment and treatment of anorexia nervosa and bulimia*. New York: PMA Publishing.
- van Strien, T., Frijters, J. E., Bergers, G. P., & Defares, P. B. (1986). The Dutch Eating Behavior Questionnaire (DEBQ) for assessment of restrained, emotional, and external eating behavior. *International Journal of Eating Disorders*, *5*, 295-315.
- van Strien, T., & Ouwens, M. (2003). Validation of the Dutch EDI-2 in one clinical and two nonclinical populations. *European Journal of Psychological Assessment*, *19*, 66-84.
- Vitousek, K. B., & Hollon, S. D. (1990). The investigation of schematic content and processing in eating disorders. *Cognitive Therapy and Research*, *14*, 191-214.
- Wade, T., Tiggemann, M., Martin, N., & Heath, A. (1997). A comparison of the Eating Disorder Examination and a general psychiatric schedule. *Australian and New Zealand Journal of Psychiatry*, *31*, 852-857.
- Waller, G., & Matoba, M. (1999). Emotional eating and eating psychopathology in nonclinical groups: A cross-cultural comparison of women in Japan and the United Kingdom. *International Journal of Eating Disorders*, *26*, 333-340.
- Walsh, B. T., & Garner, D. M. (1997). Diagnostic issues. In D. M. Garner & P. E. Garfinkel (Eds.), *Handbook of treatment for eating disorders* (pp. 25-33). New York: Guilford Press.
- Walsh, B. T., & Gladis, M. (1985). Bulimia Interview Form. *Psychopharmacology Bulletin*, *21*, 1017-1017.
- Watson, T. L., Bowers, W. A., & Andersen, A. E. (2000). Involuntary treatment of eating disorders. *American Journal of Psychiatry*, *157*, 1806-1810.
- Welch, G., Hall, A., & Norring, C. (1990). The factor structure of the Eating Disorder Inventory in a patient setting. *International Journal of Eating Disorders*, *9*, 79-85.
- Welch, G., Hall, A., & Walkey, F. (1988). The factor structure of the Eating Disorders Inventory. *Journal of Clinical Psychology*, *44*, 51-56.
- Wentz, E., Gillberg, C., Gillberg, I. C., & Rastam, M. (2001). Ten-year follow-up of adolescent-onset anorexia nervosa: Psychiatric disorders and overall functioning scales. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, *42*, 613-622.

- Wetzler, S. (1990). The Millon Clinical Multiaxial Inventory (MCMI): A review. *Journal of Personality Assessment*, *55*, 445-464.
- Wildes, J. E., & Emery, R. E. (2001). The roles of ethnicity and culture in the development of eating disturbance and body dissatisfaction: A meta-analytic review. *Clinical Psychology Reviews*, *21*, 521-551.
- Williamson, D. A. (1990). *Assessment of eating disorders: Obesity, anorexia, and bulimia nervosa*. Elmsford, NY: Pergamon Press.
- Wilmore, J. H. (1996). Eating disorders in the young athlete. In O. Bar-Or (Ed.), *The child and adolescent athlete* (pp. 287-303). Cambridge, MA: Blackwell Science.
- Wilmore, J. H., Wambsgans, K. C., Brenner, M., Broeder, C. E., Pajmans, I., Volpe, J. A., et al. (1992). Is there energy conservation in amenorrheic compared with eumenorrheic distance runners? *Journal of Applied Physiology*, *72*, 15-22.
- Wilson, G. T. (1999). Cognitive behavior therapy for eating disorders: Progress and problems. *Behaviour Research and Therapy*, *37*(Suppl. 1), S79-S95.
- Wilson, G. T., Fairburn, C. G., Agras, W. S., Walsh, B. T., & Kraemer, H. (2002). Cognitive-behavioral therapy for bulimia nervosa: Time course and mechanisms of change. *Journal of Consulting and Clinical Psychology*, *70*, 267-274.
- Wilson, G. T., Rossiter, E., Kleifield, E. I., & Lindholm, L. (1986). Cognitive-behavioral treatment of bulimia nervosa: A controlled evaluation. *Behaviour Research and Therapy*, *24*, 277-288.
- Wise, E. A. (1996). Comparative validity of MMPI-2 and MCMI-II personality disorder classifications. *Journal of Personality Assessment*, *66*, 569-582.
- Wooley, S. C., & Garner, D. M. (1994). Obesity: Abandoning dietary and behavioral treatments. *British Medical Journal*, *309*, 655-656.
- World Health Organization. (1992). *The ICD-10 classification of mental and behavioural disorders: Clinical descriptions and diagnostic guidelines*. Geneva, Switzerland: Author.
- World Health Organization. (1997). *Obesity: Preventing and managing the global epidemic: Report of a WHO consultation on obesity*. Geneva, Switzerland: Author.
- Zipfel, S., Löwe, B., Reas, D. L., Deter, H. C., & Herzog, W. (2000). Long-term prognosis in anorexia nervosa: Lessons from a 21-year follow-up study. *The Lancet*, *355*, 721-722.