



References

- Ackerman, S. J., Hilsenroth, M. J., Baity, M. R., & Blagys, M. D. (2000). Interaction of therapeutic process and alliance during psychological assessment. *Journal of Personality Assessment, 75*, 82-109.
- Akiskal, H. S., Hirschfeld, R. M., & Yerevanian, B. I. (1983). The relationship of personality to affective disorders. *Archives of General Psychiatry, 40*, 801-810.
- Alterman, A. I., Zaballero, A. R., Lin, M. M., Siddiqui, N., Brown, L.S., Jr., Rutherford, M. J., et al. (1995). Personality Assessment Inventory (PAI) scores of lower-socioeconomic African American and Latino methadone maintenance patients. *Assessment, 2*, 91-100.
- American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (1999). *Standards for education and psychological testing*. Washington, DC: American Psychological Association.
- American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders* (3rd ed.). Washington, DC: Author.
- American Psychiatric Association. (1987). *Diagnostic and statistical manual of mental disorders* (3rd ed., rev). Washington, DC: Author.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
- Andreasen, N. C. (1985). Positive vs. negative schizophrenia: A critical evaluation. *Schizophrenia Bulletin, 11*, 380-389.
- Andreasen, N. C., & Grove, W. M. (1986). Thought, language, and communication in schizophrenia: Diagnosis and prognosis. *Schizophrenia Bulletin, 12*, 348-359.
- Angrist, B., Rotrosen, J., & Gershon, S. (1980). Differential effects of amphetamine and neuroleptics on negative vs. positive symptoms in schizophrenia. *Psychopharmacology, 72*, 17-19.
- Anton, W. D., & Reed, J. R. (1990). *College Adjustment Scales: Professional manual*. Odessa, FL: Psychological Assessment Resources.
- Arbuckle, J. L. (1997). *Amos user's guide version 3.6*. Chicago: Smallwaters.
- Beck, A. T. (1967). *Depression: Clinical, experimental, and theoretical aspects*. New York: Harper & Row.
- Beck, A. T., & Emery, G. (1979). *Cognitive therapy of anxiety and phobic disorders*. New York: Guilford Press.
- Beck, A. T., & Steer, R. A. (1987). *Manual for the Beck Depression Inventory*. San Antonio, TX: The Psychological Corporation.
- Beitchman, J. H. (1985). Childhood schizophrenia: A review and comparison with adult-onset schizophrenia. *Psychiatric Clinics of North America, 8*, 793-814.
- Bentler, P. M. (1989). *EQS: Structural equations program manual*. Los Angeles: BMDP Statistical Software.
- Bentler, P. M. (1990). Comparative fit indexes in structural models. *Psychological Bulletin, 107*, 238-246.
- Bentler, P. M., & Weeks, D. G. (1980). Linear structural equations with latent variables. *Psychometrika, 45*, 289-308.
- Bernstein, D. P., Cohen, P., Velez, C. N., Schwab-Stone, M., Siever, L. J., & Shinsato, L. (1993). Prevalence and stability of the *DSM-III-R* personality disorders in a community-based survey of adolescents. *American Journal of Psychiatry, 150*, 1237-1243.
- Bloomfield, K. J., & Krishnamurthy, R. (2002, March). *MMPI-A and PAI-A substance abuse scales among adolescent substance abusers*. Paper presented at the meeting of the Southeastern Psychological Association, Orlando, FL.

- Boyle, G. J., & Lennon, T. (1994). Examination of the reliability and validity of the Personality Assessment Inventory. *Journal of Psychopathology and Behavioral Assessment, 16*, 173-187.
- Bracken, B. A., & Howell, K. (2004). *Clinical Assessment of Depression professional manual*. Lutz, FL: Psychological Assessment Resources
- Browne, M. W., & Cudeck, R. (1992). Alternative ways of assessing model fit. *Sociological Methods and Research, 21*, 230-258.
- Burney, D. M. (2001). *Adolescent Anger Rating Scale professional manual*. Odessa, FL: Psychological Assessment Resources.
- Burns, B. J., Costello E. J., Angold A., Tweed, D., Stangl, D., Farmer, E. M., et al. (1995). Children's mental health service use across service sectors. *Health Affairs, 14*, 147-159.
- Butcher, J. N., Williams, C. L., Graham, J. R., Archer, R. P., Tellegen, A., Ben-Porath, Y. S., et al. (1992). *MMPI-A: Minnesota Multiphasic Personality Inventory-Adolescent*. Minneapolis: University of Minnesota Press.
- Cashel, M. L., Schember, J., Goodman, C., & Reed, P. (2006, March). *Concurrent and predictive validity of the PAI-A for incarcerated female adolescents: Strategies for risk assessment*. Paper presented at the meeting of the Society for Personality Assessment, San Diego, CA.
- Conners, C. K., Erhardt, M. A., & Sparrow, M. A. (1999). *Conners' Adult ADHD Rating Scales (CAARS)*. North Towanda, NY: Multi-Health Systems.
- Costa, P. T., Jr., & McCrae, R. R. (1989). *The NEO PI/FFI manual supplement*. Odessa, FL: Psychological Assessment Resources.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika, 16*, 297-334.
- Davison, M. L., Bershadsky, B., Bieber, J., Silversmith, D., Maruish, M. E., & Kane, R. L. (1997). Development of a brief, multidimensional, self-report instrument for treatment outcomes assessment in psychiatric settings: Preliminary findings. *Assessment, 4*, 259-276.
- Fenton, W. S., & McGlashan, T. H. (1991). Natural history of schizophrenia subtypes, II: Positive and negative symptoms and long-term course. *Archives of General Psychiatry, 48*, 978-986.
- Finger, M. S., & Ones, D. S. (1999). Psychometric equivalence of the computer and booklet forms of the MMPI: A meta-analysis. *Psychological Assessment, 11*, 58-66.
- Finn, S. E. (1996). Assessment feedback integrating MMPI-2 and Rorschach findings. *Journal of Personality Assessment, 67*, 543-557.
- Finn, S. E., & Tonsager, M. E. (1992). Therapeutic effects of providing MMPI-2 test feedback to college students awaiting therapy. *Psychological Assessment, 4*, 278-287.
- Finn, S. E., & Tonsager, M. E. (1997). Information-gathering and therapeutic models of assessment: Complementary paradigms. *Psychological Assessment, 9*, 374-385.
- Fischer, C. T. (1994). *Individualizing psychological assessment*. Hillsdale, NJ: Erlbaum.
- Fritz, G. K., Fritsch, S., & Hagino, O. (1997). Somatoform disorders in children and adolescents: A review of the past 10 years. *Journal of the American Academy of Child and Adolescent Psychiatry, 36*, 1329-1338.
- Garland, A. F., Hough, R. L., McCabe, K. M., Yeh, M., Wood, P. A., & Aarons, G. A. (2001). Prevalence of psychiatric disorders in youths across five sectors of care. *Journal of the American Academy of Child and Adolescent Psychiatry, 40*, 409-418.
- Gillberg, C., Wahlstrom, J., Forsman, A., Hellgren, L., & Gillberg, I. C. (1986). Teenage psychoses epidemiology, classification and reduced optimality in the pre-, peri-, and neonatal periods. *Journal of Child Psychology and Psychiatry, 27*, 87-98.
- Gunderson, J. G., & Elliott, G. R. (1985). The interface between borderline personality disorder and affective disorder. *American Journal of Psychiatry, 142*, 277-288.
- Hathaway, S. R., & McKinley, J. C. (1967). *Minnesota Multiphasic Personality Inventory manual* (rev. ed.). New York: The Psychological Corporation.
- Hu, L., & Bentler, P. M. (1999). Cutoff criteria for fit indices in covariance structure analysis: Conventional criteria versus new alternatives. *Structural Equation Modeling, 6*, 1-55.
- Jackson, D. N. (1970). A sequential system for personality scale development. In C. D. Spielberger (Ed.), *Current topics in clinical and community psychology* (Vol. 2, pp. 61-96). New York: Academic Press.

- Johnson, J. G., Cohen, P., Kasen, S., Skodol, A. E., Hamagami, F., & Brook, J. S. (2000). Age-related change in personality disorder trait levels between early adolescence and adulthood: A community-based longitudinal investigation. *Acta Psychiatrica Scandinavica*, *102*, 265-275.
- Joreskog, K. G. (1969). A general approach to confirmatory maximum likelihood factor analysis. *Psychometrika*, *34*, 183-202.
- Joreskog, K. G., & Sorbom, D. (1986). *LISREL VI: Analysis of linear structural relationships by maximum likelihood, instrumental variables, and least squares methods* (4th ed.). Uppsula, Sweden: University of Uppsula, Department of Statistics.
- Kilpatrick, D. G., Ruggiero, K. J., Acierno, R., Saunders, B. E., Resnick, H. S., & Best, C. L. (2003). Violence and risk of PTSD, major depression, substance abuse/dependence and comorbidity: Results from the national survey of adolescents. *Journal of Consulting and Clinical Psychology*, *71*, 692-700.
- Koksal, F., & Power, K. G. (1990). Four Systems Anxiety Questionnaire (FSAQ): A self-report measure of somatic, cognitive, behavioral, and feeling components. *Journal of Personality Assessment*, *54*, 534-545.
- Kowatch, R. A., Youngstrom, E. A., Danielyan, A., & Findling, R. L. (2005). Review and meta-analysis of the phenomenology and clinical characteristics of mania in children and adolescents. *Bipolar Disorder*, *7*, 483-496.
- Krishnamurthy, R., McCollough, M. L., & Goodwin, K. J. (2006, March). *MMPI-A correlates of the PAI-A in a high school sample*. Paper presented at the meeting of the Society for Personality Assessment, San Diego, CA.
- Lachar, D., & Gruber, C. P. (1995). *The Personality Inventory for Youth manual: Technical guide*. Los Angeles: Western Psychological Services.
- Lang, P. J. (1971). The application of psychophysiological methods to the study of psychotherapy and behavior modification. In A. E. Bergin & S. L. Garfield (Eds.), *Handbook of psychotherapy and behavior change: An empirical analysis* (pp. 75-125). New York: Wiley.
- Lenzenweger, M. F., Dworkin, R. H., & Wethington, E. (1989). Models of positive and negative symptoms in schizophrenia: An empirical evaluation of latent structures. *Journal of Abnormal Psychology*, *98*, 62-70.
- Loevinger, J. (1957). Objective tests as instruments of psychological theory. *Psychological Reports*, *3*, 635-694.
- Maser, J. D., & Cloninger, C. R. (Eds.). (1990). *Comorbidity of mood and anxiety disorders*. Washington, DC: American Psychiatric Press.
- Meehl, P. E., & Rosen, A. (1955). Antecedent probability and the efficiency of psychometric signs, patterns, or cutting scores. *Psychological Bulletin*, *52*, 194-216.
- Morey, L. C. (1991). *Personality Assessment Inventory professional manual*. Odessa, FL: Psychological Assessment Resources.
- Morey, L. C. (2007). *Personality Assessment Inventory professional manual* (2nd ed.). Lutz, FL: Psychological Assessment Resources.
- Morey, L. C., Blashfield, R. K., & Skinner, H. A. (1983). A comparison of cluster analysis techniques within a sequential validation framework. *Multivariate Behavioral Research*, *18*, 309-329.
- Morey, L. C., & PAR Staff. (in press). *Personality Assessment Inventory—Adolescent Software Portfolio (PAI-A SP)*. Lutz, FL: Psychological Assessment Resources.
- Newman, M. L., & Greenway, P. (1997). Therapeutic effects of providing MMPI-2 test feedback to clients at a university counseling service: A collaborative approach. *Psychological Assessment*, *9*, 122-131.
- O'Connor, B. P. (2000). SPSS and SAS programs for determining the number of components using parallel analysis and Velicer's MAP test. *Behavior Research Methods, Instruments, and Computers*, *32*, 396-402.
- Reynolds, W. M. (1988). *Suicidal Ideation Questionnaire professional manual*. Odessa, FL: Psychological Assessment Resources.
- Reynolds, W. M. (1982). Development of reliable and valid short forms of the Marlowe-Crowne Social Desirability Scale. *Journal of Clinical Psychology*, *38*, 119-125.
- Reynolds, W. M. (1998). *Adolescent Psychopathology Scale psychometric and technical manual*. Odessa, FL: Psychological Assessment Resources.
- Riley, W. T., & Treiber, F. A. (1989). The validity of multidimensional self-report anger and hostility measures. *Journal of Clinical Psychology*, *45*, 397-404.
- Rogers, R., Flores, J., Ustad, K., & Sewell, K. W. (1995). Initial validation of the Personality Assessment Inventory—Spanish version with clients from Mexican American communities. *Journal of Personality Assessment*, *64*, 340-348.

- Schinka, J. A. (1995). Personality Assessment Inventory scale characteristics and factor structure in the assessment of alcohol dependency. *Journal of Personality Assessment, 64*, 101-111.
- Schinka, J. A., & Borum, R. (1993). Readability of adult psychopathology inventories. *Psychological Assessment, 5*, 384-386.
- Schotte, D. E., & Clum, G. A. (1982). Suicide ideation in a college population: A test of a model. *Journal of Consulting and Clinical Psychology, 50*, 690-696.
- Shneidman, E. S., Farberow, N. L., & Litman, R. E. (1970). *The psychology of suicide*. New York: Jason Aronson.
- Spielberger, C. D. (1983). *Manual for the State-Trait Anxiety Inventory*. Palo Alto, CA: Consulting Psychologists Press.
- Tucker, L. R. (1951). *A method for the synthesis of factor analysis studies* (Technical Report 984). Washington, DC: Department of the Army.
- U.S. Bureau of the Census. (2003). *Current population survey, March 2003* [Data file]. Washington, DC: U.S. Department of Commerce.
- Ward, J. H., Jr. (1963). Hierarchical grouping to optimize an objective function. *Journal of the American Statistical Association, 58*, 236-244.
- Zajonc, R. B. (1980). Feeling and thinking: Preferences need no inferences. *American Psychologist, 35*, 151-175.
- Zwick, W. R., & Velicer, W. F. (1986). Comparison of five rules for determining the number of components to retain. *Psychological Bulletin, 99*, 432-442.