## ASR/18-59 - Narrative Report & Critical Items

ID: 123-45-6789-02 Birth Date: 09/25/1978 Date Filled: 01/24/2008

Name: Brian S. Ariateg Gender: Male Informant: Self Age: 29 Clinician: Dr. Jones

The Adult Self-Report (ASR) was completed by the respondent to obtain his perceptions of his adaptive functioning, substance use, and problems.

On the adaptive functioning scales, the respondent's scores on the Friends and Spouse/Partner scales were in the normal range. His score on the Education scale was in the clinical range below the 3rd percentile. His scores on the Family and Job scales were in the borderline clinical range (3rd to 7th percentiles). The respondent's Mean Adaptive score was in the clinical range below the 3rd percentile for self-reports by men aged 18 to 35. The respondent's score on the Personal Strengths scale was in the clinical range below the 3rd percentile.

The respondent reported no drug use in the past 6 months. He acknowledged using tobacco 5 times a day during that period. He also reported being drunk 5 days in the past 6 months. On the substance use scales, the respondent's scores on the Tobacco, Alcohol, and Drugs scales were in the normal range. The respondent's Mean Substance Use score was in the normal range for self-reports by men aged 18 to 35.

On the ASR problem scales, the respondent's Total Problems, Internalizing, and Externalizing scores were all in the clinical range above the 90th percentile for men aged 18 to 35. His scores on the Anxious/Depressed, Somatic Complaints, Attention Problems, and Intrusive syndromes were in the normal range. His scores on the Thought Problems and Rule-Breaking Behavior syndromes were in the clinical range above the 97th percentile. His scores on the Withdrawn and Aggressive Behavior syndromes were in the borderline clinical range (93rd to 97th percentiles). These results indicate that the respondent reported more problems than are typically reported by men aged 18 to 35, particularly withdrawn behavior, thought problems, problems of an aggressive nature, and rule-breaking behavior. The respondent's scores on Critical Items are listed in the box below. The sum of his scores on the Critical Items was in the clinical range.

On the DSM-oriented scales, the respondent's scores on the Depressive Problems, Anxiety Problems, Somatic Problems, Avoidant Personality Problems, and AD/H Problems scales were in the normal range. His score on the Antisocial Personality Problems scale was in the clinical range (above the 97th percentile). These results suggest that the DSM should be consulted to determine whether the respondent meets diagnostic criteria for Antisocial Personality Disorder. On the Attention Deficit/Hyperactivity subscales, the respondent's scores for both Inattention and Hyperactivity-Impulsivity were in the normal range.

## **Critical Items**

In addition to the scale scores, it is important to consider scores on individual problem items. Because they may raise particular challenges for management, it is especially important to note the problems listed below that were reported with scores of 1 or 2. Look at comments made by the informant on the form in relation to these problems to obtain more information about risks associated with the problems and the contexts in which the problems occur.

<b>Score</b>	Problem Item	<b>Score</b>	Problem Item	<b>Score</b>	Problem Item
2	6.UsesDrugs	2	18.HarmsSelf	0	70.SeesThings
2	8.Concentrate	2	21.DamageOther	0	84.StrangeBehv
0	9.MindOff	2	40.HearsThings	2	90.GetsDrunk
2	10.Can'tSitStill	1	55.ElateDepress	0	91.ThinksSuicid
0	14.Cries	1	57.Attacks	2	92.TroubleLaw
2	16.Mean	1	66.RepeatsActs	0	97.Threatens
				0	103.Sad